

---

# Index

## A

- activate a protocol 3
- add an item/items to a list 217, 218
- add client callbacks to a protocol 5
- add client callbacks to protocol 9
- add drop transfer entries to drop operation 122
- add item to SimpleSpinBox 370
- add protocols to protocol manager 11
- add rendition components to Compound String 436
- add renditions to a render table 316
- add string to ComboBox 47
- add widget to tab groups 7
- allow for modal selection of a component 552, 554
- an object used to store information about a drag transaction 740
- an unmanaged Form as a child of a DialogShell 798
- an unmanaged MessageBox as a child of DialogShell 879
- any 1162
- append font entry to font list 133
- append string to Command 52
- ApplicationShell 609
- applicationShellWidgetClass 609
- argument 1163
- array of compound strings 1181
- array of integers 1196
- array of NULL-terminated strings 1165
- ArrowButton 656
- ArrowButtonGadget 661
- asciz\_string\_table 1165
- asciz\_table 1165
- Atom 1269
- Atom, get string name 160
- Atoms
  - return for property string 209

## B

- Boolean 1269
- boolean 1167
- bounding box of item in list 237
- BulletinBoard 663
- BulletinBoardDialog 669
- ButtonBox.h 74
- byte stream
  - calculate length 378
- byte stream, convert to string 79

## C

- calculate length of byte stream 378
- call the UIL compiler from an application 1221
- cancel a drag operation 98
- cancel copy to clipboard 17
- Cardinal 1269
- CascadeButton 674
- CascadeButton, set highlight state 13
- CascadeButtonGadget 679
  - get from option menu 283
- change resource values for drop site 121
- character set type for use with strings and font lists 1169
- character type 1198
- character\_set 1169
- character-to-color mapping type 1175
- check that mwm is running 210
- check widget can receive keyboard focus 216
- child of Command, get 54
- children for a MainWindow, specify 260
- class\_rec\_name 1172
- client callbacks, add to protocol 9
- clipboard
  - cancel copy 17
  - copy Container selection 57
  - copy data passed by name 21
  - copy procedure 18
  - copy selection from text 478

- cut Container selection 59
- end copy 23, 25
- get data format name 28
- get data from 36
- get length of data item 30
- get list of pending items 32
- get number of data formats available 27
- lock 34
- paste into Container 62
- register new format 35
- remove item 44
- set up storage for 38
- setting up for a copy 15
- start retrieval 42
- unlock 45
  - withdraw format 46
- ClipboardBadFormat 35
- ClipboardFail 23, 35, 45
- ClipboardLocked 15, 17, 18, 21, 23, 27, 32, 34, 35, 36, 38, 42, 44, 46
- ClipboardNoData 27, 36
- ClipboardSuccess 15, 17, 18, 21, 23, 27, 32, 34, 35, 36, 38, 42, 44, 45, 46
- ClipboardTruncate 36
- close an Mrm hierarchy 1067
- close input method contexts 190
- color 1173
- color specified as color name 1173
- color specified with the values of red, green, and blue components 1203
- color\_table 1175
- Colormap 1269
- colors
  - get calculate procedure 161
  - set procedure for calculating default 363
  - update for widget 163
- colors, updating for a widget 14
- ComboBox 693
  - add compound string 47
  - delete item 48
  - select and show item 50
  - select item 49
  - update list 51
- Command 702
  - append string 52
  - display error message 53
  - get child 54
  - replace string 56
- compare two compound strings 377, 379
- compare two directions 93
- complete a data transfer operation 565
- Composite 613
- compositeWidgetClass 613
- compound object, create 70
- Compound String
  - add rendition components 436
  - check if void 423
  - compare 379
  - compare two 377
  - concatenate portion of one to another 427
  - concatenate two 382
  - contatenate and free 383
  - convert array of strings 439
  - convert from compound string table 443
  - convert from string 429
  - convert table to array of strings 445
  - convert to compound string table 447
  - convert to string 449
  - copy 385
  - copy a portion 428
  - create 386, 390
  - create a string context 421
  - create in current language environment 392
  - create segment 437
  - create tab list 441
  - create, containing separator 438
  - create, in current locale 388
  - create, with diretion 393
  - create, with single component 380
  - determine whether empty 401
  - draw 395
  - draw image 397
  - draw with underline 399
  - find substring 419
  - free memory 403
  - free string context 405
  - generate 407
  - get a text segment 409
  - get baseline spacing 376
  - get information about next component 411
  - get information about next segment 414
  - get length 424

- get line height 420
- get number of lines 425
- get smallest rectangle for string 402
- get triple information about next component 416
- get width of longest line 452
- return type of next component 432
- compound text encoding format for font list element tag 263
- compound\_string 1177
- compound\_string\_component 1179
- compound\_string\_table 1181
- CompoundString
  - return type of next component 434
- concatenate portion of compound string to another 427
- concatenate two compound strings 382
- concatenate two compound strings, and free 383
- configure virtual key bindings 1134
- Constraint 615
- constraintWidgetClass 615
- Container 707
  - copy links to selection 58
  - copy selection to clipboard 57
  - cut selection 59
  - force relayout 64
  - get children 60
  - paste 62
  - paste links 63
  - reorder children 65
- convert a direction to a string direction 97
- convert a keycode to a keysym using the default translator 575
- convert an XmStringTable to an XTextProperty 84
- convert array of strings into compound string table 439
- convert byte stream to string 79
- convert compound string into string 449
- convert compound string table to array of strings 445
- convert compound string table to compound string 443
- convert compound string to compound string table 447
- convert render table into strings 322
- convert string to byte stream 87
- convert string to compound string 429
- convert string to integer 66
- convert string to text 88
- convert string to unit-type value 81
- convert strings into render table 321
- convert text to string 80
- convert value to specified unit type 68
- convert XTextProperty to Compound String Table 82
- converts a string direction to a direction 394
- copy
  - cancel 17
  - data passed by name 21
  - end operation 23, 25
  - incremental 21
  - setting up clipboard for 15
  - to clipboard 18
- copy a compound string 385
- copy a font list 135
- copy a render table 319
- copy a render table, excluding renditions 329
- copy an XmTabList object 459
- copy Container selection to clipboard 57
- copy links Container selection 58
- copy portion of a compound string 428
- Core 617
- coreWidgetClass 617
- count tabs in list 466
- create a CheckBox compound object 579
- create a compound string 380, 386, 390
- create a compound string, with direction 393
- create a font context 154
- create a font list 137
- create a font list entry 140
- create a font list in thread-safe manner 139
- create a MenuBar compound object 581
- create a new font list 131
- create a parse mapping 286
- create a pixmap 169
- create a PopupMenu compound object as the child of a MenuShell 587
- create a Print Shell widget 298
- create a PulldownMenu compound object as the child of a MenuShell 590
- create a RadioBox compound object 594

- create a rendition object 330
- create a tab stop 453
- create an input method context for widget 192
- create an OptionMenu compound object 584
- create compound string in current language environment 392
- create compound string in current locale 388
- create font list entry in thread-safe manner 143
- create particular widget or object 70
- create pixmap of specified depth 171
- create scaled pixmap 174
- create tab list for compound string table 441
- create the widget tree rooted at a named widget 1082
- create the widget tree rooted at a named widget and override the resources set in the UID file 1085
- Cursor 1270
  - set current menu cursor 367
- cut Container selection 59

## D

- data format name, get from clipboard 28
- deactivate a protocol 90
- deactivate the XA\_WM\_PROTOCOLS protocol 91
- delete a List item at specified position 224
- delete all items from a list 221
- delete an item/items from a list 222
- delete item from ComboBox 48
- delete items from position in list 223
- delete List items at specified positions 225
- delete SimpleSpinBox item at specified position 372
- delete the primary selection 519
- deselect all items in a list 226
- deselect item from list 227
- deselect List item at specified position 228
- determine if item is in list 233
- dialog objects, create 74
- DialogShell 731
- Dimension 1270
- direction, convert from string direction 394
- direction, convert to string direction 97
- directions, compare 93

- directions, partially compare 95
- Display 734, 1270
- display
  - get Display object 183
- display error message in Command 53
- display the text at a specified position 543
- double-precision floating point type 1183
- drag and drop
  - determine target type compatibility 472
  - get information about 166
- drag, cancel 98
- drag, start 99
- DragContext 740
- DragIcon 749
- draw a compound string 395
- draw a compound string image 397
- draw compound string with underline 399
- DrawingArea 752
- DrawnButton 757
- drop
  - add transfer entries 122
  - start 124
- drop site
  - change resource values 121
  - change stacking order 110
  - end update 112
  - get resource values 118
  - get stacking order 113
  - register 115
  - remove 120
  - start update 119
  - update 121
- DropSite 768
- DropTransfer 773

## E

- end copy operation 23, 25

## F

- fetch rendition 333
- FileSelectionBox 777
  - get child 127

- possible child values 129
  - start directory search 130
- find child nearest to a point 281
- find children of Container 60
- finding position of items in a list 258
- float 1183
- font 1185
- font\_table 1187
- FontList
  - append font entry 133
  - copy 135
  - create 137
  - create entry 140
  - create entry in thread-safe manner 143
  - create font context 154
  - create in thread-safe manner 139
  - create new 131
  - free font context 151
  - free memory 144
  - free memory used by list 150
  - get font information from entry 145
  - get next element information 152
  - get next entry 156
  - get tag of entry 147
  - load font for entry 148
  - remove entry 158
- fonts
  - set font unit values 366
  - set unit values 365
- fontset 1189
- Form 792
- Frame 799
- free a font context 151
- free a string context 405
- free an input method context 191
- free compound string memory 403
- free font list entry 144
- free memory used by font list 150
- free memory used by parse mapping 289
- free memory used by parse table 294
- free render table memory 323
- free rendition memory 332
- free tab list memory 460
- free XmTab memory 456
- fundamental object class 621
- fundamental object class with geometry 624

- fundamental shell widget that interacts with an IC-CCM-compliant window manager 651
- fundamental widget class that controls interaction between top-level windows and the window manager 634

## G

- Gadget 803
- GC 1270
- generate a compound string 407
- generic icon or xbitmapfile type 1200
- get all occurrences of item in a list 230
- get child of Command 54
- get child of FileSelectionBox widget 127
- get children of Container 60
- get color calculate procedure 161
- get composed string from an input method 195
- get current destination widget 165
- get current menu cursor 168
- get data from clipboard 36
- get Display object for a display 183
- get font information from font list entry 145
- get font list next element information 152
- get information about drag and drop operation 166
- get input method for a widget 194
- get length of data item from clipboard 30
- get next entry in font list 156
- get position of List item with location cursor 229
- get positions of selected List items 232
- get resource values for drop site 118
- get Screen object for a screen 184
- get secondary widget resource data 176
- get string representation of an Atom 160
- get tab group for widget 179
- get tag of font list entry 147
- get tear-off control for menu 180
- get the character position for an x, y position 545
- get the display rectangle for a widget 597
- get the positions of the baselines in a widget 596
- get the state of a ToggleButton 546
- get the x, y position of a character position 518
- get visibility of widget 181
- get widget that posted menu 173
- get widget with keyboard focus 167

GrabModeAsync 809  
GrabModeSync 809  
GrabShell 808

## H

highlight state of CascadeButton, setting 13  
highlight text 529

## I

icon 1191  
IconGadget 824  
ID number of a representation type 338  
identifier 1140  
images  
    install in cache 206  
    pre-installed, names and description 206  
include 1141  
include file directive 1141  
incremental copying 21  
initiate a multiple data transfer request 572  
input methods  
    set values and focus 204  
input method  
    get composed string 195  
input Methods  
    register widget 198  
input methods  
    close contexts 190  
    create context for widget 192  
    free context 191  
    get for widget 194  
    introduction 188  
    register widget with 201  
    reset context 197  
    set values 200, 205  
    set values and focus 199  
    unregister widget 202  
    unset focus for 203  
XBufferOverflow 196  
XLookupBoth 196  
XLookupChars 196  
XLookupKeysym 196

XLookupNone 196  
insert tabs into a tab list 462  
insert the clipboard selection 514, 516  
install image in cache 206  
integer 1194  
integer\_table 1196  
introduction to the uniform transfer model 555  
item is selected in list 236

## K

keyboard focus  
    check widget can receive 216  
    set which widget 302  
keyboard focus, get widget with 167  
KeyCode 1270  
KeySym 1270  
keysym 1198

## L

Label 829  
LabelGadget 835  
    get from option menu 284  
layout of Container 64  
length of Compound String 424  
List 838  
    add items 217, 218  
    check if item is selected 236  
    delete all items 221  
    delete an item/items 222  
    delete item at position 224  
    delete items at specified positions 225  
    delete items from specified position 223  
    deselect all items 226  
    deselect item 227  
    deselect item at specified position 228  
    determine if item is present 233  
    get all occurrences of item 230  
    get bounding box of item 237  
    get item position 234  
    get position of item at y-coordinate 258  
    get position of location cursor 229  
    get positions of selected items 232

- how to check an item is visible 255
    - replace items 239, 240, 243
    - replace items at specified positions 245
    - replace specified items 241
    - select item 246
    - select item at specified position 247
    - set add mode 249
    - set first visible item 253, 255
    - set horizontal position 252
    - set last visible item 250
    - set last visible item, by position 251
    - set position of cursor 254
    - update list of selected items 257
  - list 1142
  - list definition section 1142
  - load font for font list entry 148
  - lock the clipboard 34
- M**
- MainWindow 855
    - get widget ID of separator 259
    - specify children 260
  - Manager 859
  - Menu
    - get CascadeButtonGadget from option menu 283
    - make inaccessible from widget 310
    - position a popup 264
    - set current cursor 367
  - menu
    - get tear-off control 180
    - get widget that posted 173
  - menu cursor, get current 168
  - menu objects, create 75
  - menu, make accessible from widget 8
  - MenuBar 867
  - MenuShell 869
  - MessageBox 873
    - get specified child 266
  - MessageDialog 879
  - Modifiers 1270
  - module 1145
  - module structure 1145
  - Motif compound string component type 1179
  - Motif compound string type 1177
  - Motif font list type 1187
  - Motif Window Manager, check whether running 210
  - MrmCloseHierarchy 1067
  - MrmCode 1271
  - MrmCount 1271
  - MrmFetchBitmapLiteral 1068, 1069
  - MrmFetchColorLiteral 1071
  - MrmFetchIconLiteral 1073
  - MrmFetchLiteral 1076
  - MrmFetchSetValues 1079
  - MrmFetchWidget 1082
  - MrmFetchWidgetOverride 1085
  - MrmHierarchy 1271
  - MrmInitialize 1089
  - MrmOpenHierarchy 1090
  - MrmOpenHierarchyFromBuffer 1092
  - MrmOpenHierarchyPerDisplay 1093
  - MrmOsOpenParamPtr 1271
  - MrmRegisterArg 1271
  - MrmRegisterArgList 1271
  - MrmRegisterClass 1096
  - MrmRegisterNames 1098
  - MrmRegisterNamesInHierarchy 1100
  - MrmType 1271
  - multi-color rectangular pixmap type 1191
  - mwm 1104
    - check whether running 210
  - MWM\_DECOR\_ALL 646
  - MWM\_DECOR\_BORDER 646
  - MWM\_DECOR\_MAXIMIZE 646
  - MWM\_DECOR\_MENU 646
  - MWM\_DECOR\_MINIMIZE 646
  - MWM\_DECOR\_RESIZEH 646
  - MWM\_DECOR\_TITLE 646
  - MWM\_FUNC\_ALL 646
  - MWM\_FUNC\_CLOSE 646
  - MWM\_FUNC\_MAXIMIZE 646
  - MWM\_FUNC\_MINIMIZE 646
  - MWM\_FUNC\_MOVE 646
  - MWM\_FUNC\_RESIZE 646
  - MWM\_INPUT\_FULL\_APPLICATION\_MODAL 647
  - MWM\_INPUT\_MODELESS 647
  - MWM\_INPUT\_PRIMARY\_APPLICATION\_

MODAL 647  
MWM\_INPUT\_SYSTEM\_MODAL 647

## N

Notebook 886  
    get information about a page 279  
notify the Print Display Manager 296  
NULL-terminated character string type 1207

## O

Object 621  
object 1147  
objectClass 621  
open an Mrm hierarchy 1090, 1093  
open an Mrm hierarchy from a buffer 1092  
option menu  
    get CascadeButtonGadget 283  
    get LabelGadget 284  
OptionsMenu 895  
OverrideShell 622  
overrideShellWidgetClass 622

## P

PanedWindow 900  
parse mapping  
    create 286  
    free memory 289  
    get resources 290  
    set resources 292  
ParseMapping 906  
partially compare two directions 95  
paste into a Container 62  
paste links into Container 63  
Pixel 1272  
Pixmap 1272  
pixmap 1200  
    create scaled 174  
    create, of specified depth 171  
    get 169  
pixmap, remove from cache 92

popup menu, how to position 264  
popup shell that interacts with the window manager 640  
PopupMenu 910  
Position 1272  
position a popup menu 264  
position of item in a list 234  
pre-installed images 206  
prepare the Mrm library for use 1089  
Print

    create a Print Shell widget 298  
    force widget exposure 305  
    notify Print Display Manager 296  
    save data to file 300

PrintShell 912  
procedure 1153  
procedure declaration section 1153  
procedure for calculating default colors 363  
produce a listing of a UIL symbol table 1229

PromptDialog 918

protoclos

    activate 3

protocols

    add client callbacks to 5, 9  
    add to protocol manager 11  
    deactivate 90  
    deactivate XA\_WM\_PROTOCOLS 91  
    register 6  
    remove callback 311  
    remove callbacks 314  
    remove from protocol manager 312, 315  
    set prehooks and posthooks 368  
    set prehooks and posthooks for XA\_WM\_PROTOCOLS 369

PulldownMenu 919

PushButton 921

PushButtonGadget 929

## Q

QuestionDialog 932

**R**

- RadioBox 933
- reason 1201
- RectObj 624
- rectObjClass 624
- register a drop site 115
- register a representation type resource 345
- register a widget creation function for a non-Motif widget 1096
- register application-defined values and procedures 1098
- register application-defined values and procedures for use in a specific UIL hierarchy 1100
- register list of protocols 6
- register new format for clipboard 35
- register text encoding format for font list element tag 308
- register widget with an Input Manager 198
- register widget with an input method context 201
- relayout of Container 64
- remove a drop site 120
- remove an image from the image cache 577
- remove callback from protocol 311
- remove callbacks from protocol 314
- remove entry from font list 158
- remove item from clipboard 44
- remove pixmap from cache 92
- remove protocols from protocol manager 312, 315
- remove tabs from list 463
- remove widget from tab groups 313
- render table
  - add renditions 316
  - convert from strings 321
  - convert to strings 322
  - copy 319
  - copy, excluding renditions 329
  - create rendition object 330
  - fetch rendition 333
  - free memory 323
  - free rendition memory 332
  - get a rendition 324
  - get rendition tags 327
  - search for renditions 325
  - set rendition object resources 335
- rendition object resources, set 335
- rendition tags from a render table 327
- reorder children of Container 65
- replace items at specified positions in list 245
- replace part of the text string 520
- replace part of the wide-character text string 523
- replace specified items in a list 239, 240, 241, 243
- replace string in Command 56
- replace tabs in list 464
- representation type
  - register resource 345
  - validity of numerical value 347
- representation type, information about 340
- representation types, get registered 342
- reset an input method context 197
- resource converter for the RowColumn XmNtearOffModel, installing 344
- retrieve an exported bitmap from an Mrm hierarchy 1068
- retrieve an exported color value from an Mrm hierarchy 1071
- retrieve an exported icon from an Mrm hierarchy 1073
- retrieve an exported value from an Mrm hierarchy 1076
- retrieve data from clipboard 36
- return atom for property name string 209
- reverse converter for a representation type 337
- rgb 1203
- RowColumn 938
- run-time variable declaration section 1140

**S**

- save X Print Server data to file 300
- Scale 953
  - get slider value 350
  - set slider value 354
  - set tick marks 351
- Screen 962, 1272
- screen
  - get Screen object 184
- scroll the text 525
- ScrollBar 967
  - get current state 355

- set current state 356
- scrolled objects, create 76
- ScrolledList 977
- ScrolledText 978
- ScrolledWindow 979
  - make child visible 360
  - specify children 358
- search render table for a rendition 324
- search render table for renditions 325
- select and show item from ComboBox 50
- select item at specified position in a list 247
- select item from ComboBox 49
- select item in a list 246
- SelectionBox 985
  - get child 361
- SelectionDialog 993
- send a multiple transfer request 569
- Separator 994
- SeparatorGadget 997
- SessionShell 626
- sessionShellWidgetClass 626
- set add mode in a list 249
- set first visible item in a list 253, 255
- set horizontal position of a list 252
- set last visible item in a list 250
- set last visible item in a list, by position 251
- set parameters for next transfer 570
- set position of cursor in a list 254
- set SimpleSpinBox item 373
- set the add mode state 526
- set the edit permission state 528
- set the maximum possible length of a text string 534
- set the position of the first character of text that is displayed 542
- set the position of the insertion cursor 527, 532
- set the state of a ToggleButton 548
- set the text source 537
- set the text string 538
- set the value of a ToggleButton 550
- set the value of the primary selection 535
- set the wide-character text string 540
- set up storage for a copy 38
- set value of Command 56
- set value of tab stop 467
- set values and focus for input method 204

- set values and focus for input method context 199
- set values for input method 205
- set values for input method context 200
- set widget resources to values retrieved from an Mrm hierarchy 1079
- Shell 634
- shell widget with Motif-specific hooks for window manager interaction 643
- shellWidgetClass 634
- simple menu objects, create 75
- SimpleSpinBox 999
  - add item 370
  - delete item at specified position 372
  - set item 373
- single\_float 1205
- single-precision floating point type 1205
- spacing for compound string 376
- specified child of MessageBox widget 266
- SpinBox 1004
  - validate current value 374
- stacking order of drop site 113
- start a copy to clipboard 38
- start a directory search 130
- start a drag operation 99
- start a drop operation 124
- start an update of multiple drop sites 119
- start clipboard retrieval 42
- String 1273
- string 1207
  - convert to compound string 429
- string context, create 421
- string direction, convert to direction 394
- string, convert to byte stream 87
- string, convert to integer 66
- string, convert to text 88
- string, convert to unit-type value 81
- string\_table 1181
- StringTable 1273

## T

- Tab
  - create 453
  - free 456
  - get value 457

- tab group, get for widget 179
  - tab groups
    - remove widget 313
  - tab groups, add widget to 7
  - tab stop, create 453
  - TabList
    - copy 459
    - count tabs 466
    - free 460
    - get a tab 461
    - insert tabs 462
    - remove tabs 463
    - replace tabs 464
    - set value of tab 467
  - TemplateDialog 1020
  - Text 1021
    - allow visual update 484
    - clear primary selection 474
    - copy primary selection 476
    - copy primary selection to clipboard 478
    - copy then remove selection 480
    - find beginning of string 485
    - find beginning of wide-character string 487
    - get edit permission state 492
    - get height 490
    - get maximum string length 495
    - get part of string 505
    - get part of wide-character string 507
    - get position of baseline 489
    - get position of insertion cursor 491, 493
    - get position of last character 494
    - get position of primary selection 497
    - get source 500
    - get string 501
    - get value of selection 496
    - get value of wide-character selection 499
    - get wide-character string 503
    - insert a wide-character string 512
    - insert another string 510
    - position of first character 509
    - prevent visual update 483
  - text, convert to string 80
  - text-editing widget 1021
  - TextField 1040
  - the fundamental class for Motif widgets that manage children 859
  - the fundamental class for windowed widgets 617
  - the fundamental class for windowless widgets 803
  - the fundamental widget that can have children 613
  - the main shell for an application 609, 626
  - the Motif Window Manager 1104
  - the standard layout widget for an application's primary window 855
  - the uniform transfer model 555
  - the User Interface Language (UIL) compiler 1132
  - Time 1273
  - ToggleButton 1045
  - ToggleButtonGadget 1055
  - TopLevelShell 637
  - topLevelShellWidgetClass 637
  - transfer data to a destination 573
  - TransientShell 640
  - transientShellWidgetClass 640
  - translation\_table 1210
  - true/false type 1167
  - type checking suppression type 1162
- U**
- Uil 1221
  - uil 1132
  - UilDumpSymbolTable 1229
  - undo copy operation 44
  - unlock the clipboard 45
  - unregister input method context for widget 202
  - unset focus for input method context 203
  - update colors for widget 163
  - update ComboBox list 51
  - update list of selected items in a list 257
  - update srop site 121
  - update the display 578
  - user-defined callback type 1201
  - user-defined resource type 1163
- V**
- value 1155
  - value names for a representation type 339
  - variable definition and declaration section. 1155
  - VendorShell 643

vendorShellWidgetClass 643  
visibility of widget 181  
Visual 1273  
VoidProc 1273

## W

WarningDialog 1062  
whole number type 1194  
wide\_character 1212  
wide-character string type 1212  
Widget 1274  
widget 1214

- check can receive keyboard focus 216
- check the superclass or type 211
- create input method context 192
- ensure upward-compatibility 348
- force exposure for printing 305
- get current destination widget 165
- get input method 194
- get tab group 179
- get the one that posted menu 173
- get the one with keyboard focus 167
- get visibility 181
- make menu inaccessible 310
- register with input method 198
- remove from tab groups 313
- set which has keyboard focus 302
- unregister input method context 202
- update colors 163

widget class pointer type 1172  
widget declaration and definition section 1147  
widget ID of MainWindow Separator 259  
widget type 1214  
widget, create 70  
widget, update colors 14  
WidgetClass 1274  
widgetClass 617  
WidgetList 1274  
Window 1274  
WM\_COMMAND 610  
WM\_DELETE\_WINDOW 611  
WMSHELL 651  
wmShellWidgetClass 651  
WorkingDialog 1063

## X

X bitmap file type 1216  
XA\_WM\_PROTOCOL 9  
XA\_WM\_PROTOCOLS 4, 11, 314  
xbitmapfile 1216  
XBufferOverflow 196  
XEvent 1274  
XFontSet 1275  
XFontSet type 1189  
XFontStruct 1275  
XFontStruct type 1185  
XImage 1276  
XLookupBoth 196  
XLookupChars 196  
XLookupKeysym 196  
XLookupNone 196  
Xm100TH\_INCHES 67, 69, 81, 648, 806, 862  
Xm100TH\_FONT\_UNITS 67, 69, 81, 648, 806, 862  
Xm100TH\_MILLIMETERS 67, 68, 81, 648, 806, 862  
Xm100TH\_POINTS 67, 69, 81, 648, 806, 862  
XmActivateProtocol 3  
XmActivateWMProtocol 4  
XmAddProtocolCallback 5  
XmAddProtocols 6  
XmAddTabGroup 7  
XmAddToPostFromList 8  
XmAddWMProtocolCallback 9  
XmAddWMProtocols 11  
XmALIGNMENT\_BASELINE\_BOTTOM 801, 941  
XmALIGNMENT\_BASELINE\_TOP 801, 941  
XmALIGNMENT\_BEGINNING 801, 825, 830, 875, 940  
XmALIGNMENT\_CENTER 801, 825, 830, 875, 940, 941  
XmALIGNMENT\_CONTENTS\_BOTTOM 941  
XmALIGNMENT\_CONTENTS\_TOP 941  
XmALIGNMENT\_END 801, 825, 830, 875, 940  
XmALIGNMENT\_WIDGET\_BOTTOM 801  
XmALIGNMENT\_WIDGET\_TOP 801  
XmAllocColorProc 966, 1277  
XmANY\_ICON 711, 826

- XmAnyCallbackStruct 667, 675, 806, 832, 863, 876, 1027, 1277
- XmAPPEND 713
- XmAPPLICATION\_DEFINED 981
- XmARROW\_DOWN 657
- XmARROW\_LEFT 657
- XmARROW\_RIGHT 657
- XmARROW\_UP 657
- XmArrowButton 656
- XmArrowButtonCallbackStruct 658, 1277
- XmArrowButtonGadget 661
- xmArrowButtonGadgetClass 661
- xmArrowButtonWidgetClass 656
- XmARROWS\_BEGINNING 1005
- XmARROWS\_DECREMENT\_SENSITIVE 1000, 1006, 1007
- XmARROWS\_DEFAULT\_SENSITIVITY 1007
- XmARROWS\_END 1005
- XmARROWS\_FLAT\_BEGINNING 1005
- XmARROWS\_FLAT\_END 1005
- XmARROWS\_HORIZONTAL 1006
- XmARROWS\_INCREMENT\_SENSITIVE 1000, 1006, 1007
- XmARROWS\_INSENSITIVE 1000, 1006, 1007
- XmARROWS\_SENSITIVE 1000, 1006, 1007
- XmARROWS\_SPLIT 1005
- XmARROWS\_VERTICAL 1006
- XmAS\_NEEDED 842, 981
- XmATTACH\_CENTER 750
- XmATTACH\_EAST 750
- XmATTACH\_FORM 794
- XmATTACH\_HOT 750
- XmATTACH\_NONE 794
- XmATTACH\_NORTH 750
- XmATTACH\_NORTH\_EAST 750
- XmATTACH\_NORTH\_WEST 750
- XmATTACH\_OPPOSITE\_FORM 794
- XmATTACH\_OPPOSITE\_WIDGET 794
- XmATTACH\_POSITION 794
- XmATTACH\_SELF 794
- XmATTACH\_SOUTH 750
- XmATTACH\_SOUTH\_EAST 750
- XmATTACH\_SOUTH\_WEST 750
- XmATTACH\_WEST 750
- XmATTACH\_WIDGET 794
- XmAUTO\_BEGIN 716
- XmAUTO\_CANCEL 716
- XmAUTO\_CHANGE 716
- XmAUTO\_DRAG\_DISABLED 980
- XmAUTO\_DRAG\_ENABLED 980
- XmAUTO\_MOTION 716
- XmAUTO\_NO\_CHANGE 716
- XmAUTO\_SELECT 710, 840
- XmAUTOMATIC 981
- XmBACKGROUND\_COLOR 957, 970
- XmBELL 644
- xmlbind 1134
- XmBLEND\_ALL 741
- XmBLEND\_JUST\_SOURCE 741
- XmBLEND\_NONE 741
- XmBLEND\_STATE\_SOURCE 741
- XmBOTTOM\_LEFT 889, 981
- XmBOTTOM\_RIGHT 889, 981
- XmBOTTOM\_TO\_TOP 96, 646, 861, 871
- XmBOTTOM\_TO\_TOP\_LEFT\_TO\_RIGHT 96, 646, 861, 871
- XmBOTTOM\_TO\_TOP\_RIGHT\_TO\_LEFT 96, 646, 861, 871
- XmBROWSE\_SELECT 713, 843
- XmBulletinBoard 663
- xmlBulletinBoardWidgetClass 663
- XmBulletinBoardDialog 669
- XmBUTTON2\_ADJUST 736
- XmBUTTON2\_TRANSFER 736
- XmButtonBox 670
- xmlButtonBoxWidgetClass 670
- XmButtonType 1278
- XmButtonTypeTable 1278
- XmCASCADEBUTTON 946
- XmCascadeButton 674
- XmCascadeButtonGadget 679
- xmlCascadeButtonGadgetClass 679
- XmCascadeButtonGadgetHighlight 13, 679
- XmCascadeButtonHighlight 13, 674
- xmlCascadeButtonWidgetClass 674, 941
- XmCELLS 714
- XmCENTER 714
- XmCENTIMETERS 67, 68, 648
- XmChangeColor 14
- XmCHARSET\_TEXT 908
- XmCheckBox 682
- XmCHECKBUTTON 946

XmCLIP\_WINDOW 982  
XmClipboardBeginCopy 15  
XmClipboardCancelCopy 17  
XmClipboardCopy 18  
XmClipboardCopyByName 21  
XmClipboardEndCopy 23  
XmClipboardEndRetrieve 25  
XmClipboardInquireCount 27  
XmClipboardInquireFormat 28  
XmClipboardInquireLength 30  
XmClipboardInquirePendingItems 32  
XmClipboardLock 34  
XmClipboardPendingList 1278  
XmClipboardRegisterFormat 35  
XmClipboardRetrieve 36  
XmClipboardStartCopy 38  
XmClipboardStartRetrieve 42  
XmClipboardUndoCopy 44  
XmClipboardUnlock 45  
XmClipboardWithdrawFormat 46  
XmCLOSEST 713  
XmCOLLAPSED 715  
XmColorProc 1278  
XmColorSelector 684  
xmColorSelectorWidgetClass 684  
XmColumn 688  
XmColumnGetChildLabel() 688  
xmColumnWidgetClass 688  
XmCOMBO\_BOX 693, 695  
XmComboBox 692  
XmComboBoxAddItem 47, 692  
XmComboBoxCallbackStruct 698, 1279  
XmComboBoxDeletePos 48, 692  
XmComboBoxSelectItem 49, 692  
XmComboBoxSetItem 50, 692  
XmComboBoxUpdate 51, 692  
xmComboBoxWidgetClass 692  
XmCommand 702  
XmCOMMAND\_ABOVE\_WORKSPACE 856  
XmCOMMAND\_BELOW\_WORKSPACE 856  
XmCommandAppendValue 52, 702  
XmCommandCallbackStruct 704, 1279  
XmCommandError 53, 702  
XmCommandGetChild 54, 274, 275, 702  
XmCommandSetValue 56, 702  
xmCommandWidgetClass 702  
XmCONSTANT 841, 982  
XmContainer 707  
XmContainerCopy 57, 707  
XmContainerCopyLink 58, 707  
XmContainerCut 59, 707  
XmContainerGetItemChild 707  
XmContainerGetItemChildren 60  
XmContainerOutlineCallbackStruct 716, 1279  
XmContainerPaste 62, 707  
XmContainerPasteLink 63, 707  
XmContainerRelayout 64, 707  
XmContainerReorder 65, 707  
XmContainerSelectCallbackStruct 716, 1280  
xmContainerWidgetClass 707  
XmConvertCallbackStruct 717, 754, 958, 1280  
XmConvertStringToUnits 66  
XmConvertUnits 68  
XmCreateArrowButton 70, 656  
XmCreateArrowButtonGadget 70, 661  
XmCreateBulletinBoard 70, 663  
XmCreateBulletinBoardDialog 74, 663, 669  
XmCreateButtonBox 74  
XmCreateButtonBox() 670  
XmCreateCascadeButton 70, 674  
XmCreateCascadeButtonGadget 70, 679  
XmCreateColorSelector 74  
XmCreateColorSelector() 684  
XmCreateColumn 74  
XmCreateColumn() 688  
XmCreateComboBox 70, 692  
XmCreateCommand 70, 702  
XmCreateContainer 70, 707  
XmCreateDataField 70  
XmCreateDataField() 727  
XmCreateDialogShell 71, 74, 75, 731  
XmCreateDragIcon 71, 749  
XmCreateDrawingArea 71, 752  
XmCreateDrawnButton 71, 757  
XmCreateDropDown 71  
XmCreateDropDown() 763  
XmCreateDropDownComboBox 70, 692  
XmCreateDropDownList 70, 692  
XmCreateErrorDialog 74, 776, 873  
XmCreateFileSelectionBox 71, 777, 786  
XmCreateFileSelectionDialog 74, 777, 786  
XmCreateFontSelector 74

- XmCreateFontSelector() 787
- XmCreateForm 71, 792
- XmCreateFormDialog 74, 792
- XmCreateFrame 71, 799
- XmCreateGrabShell 71, 808
- XmCreateIconButton 74
- XmCreateIconButton() 817
- XmCreateIconButton 71
- XmCreateIconButton() 820
- XmCreateIconGadget 71, 824
- XmCreateInformationDialog 75, 828, 873
- XmCreateLabel 71, 829
- XmCreateLabelGadget 72, 835
- XmCreateList 72, 838
- XmCreateMainWindow 72, 855
- XmCreateMenuBar 75, 867, 938
- XmCreateMenuShell 72, 869
- XmCreateMessageBox 72, 873
- XmCreateMessageDialog 75, 873, 879
- XmCreateMultiList 72
- XmCreateMultiList() 880
- XmCreateNotebook 72, 886
- XmCreateOptionMenu 75, 895, 938
- XmCreateOutline 72
- XmCreateOutline() 897
- XmCreatePanedWindow 72, 900
- XmCreatePopupMenu 75, 869, 910, 938
- XmCreatePromptDialog 75, 918, 985
- XmCreatePulldownMenu 75, 869, 919, 938
- XmCreatePushButton 72, 921
- XmCreatePushButtonGadget 72, 929
- XmCreateQuestionDialog 75, 873, 932
- XmCreateRadioBox 73, 933, 938
- XmCreateRowColumn 72, 682, 938
- XmCreateScale 73, 953
- XmCreateScrollBar 73, 967
- XmCreateScrolledList 76, 838, 977, 979
- XmCreateScrolledText 76, 978, 979, 1021
- XmCreateScrolledWindow 73, 977, 978, 979
- XmCreateSelectionBox 73, 985, 993
- XmCreateSelectionDialog 75, 985, 993
- XmCreateSeparator 73, 994
- XmCreateSeparatorGadget 73, 997
- XmCreateSimpleCheckBox 75, 682, 938
- XmCreateSimpleMenuBar 75, 867, 938
- XmCreateSimpleOptionMenu 76, 895, 938
- XmCreateSimplePopupMenu 76, 910, 938
- XmCreateSimplePulldownMenu 76, 919, 938
- XmCreateSimpleRadioBox 76, 933, 938
- XmCreateSimpleSpinBox 73, 999
- XmCreateSpinBox 73, 1004
- XmCreateTabStack 75
- XmCreateTabStack() 1014
- XmCreateTemplateDialog 75, 873, 1020
- XmCreateText 73, 1021
- XmCreateTextField 73, 1040
- XmCreateToggleButton 74, 1045
- XmCreateToggleButtonGadget 74, 1055
- XmCreateTree() 1058
- XmCreateWarningDialog 75, 873, 1062
- XmCreateWorkArea 73, 938
- XmCreateWorkingDialog 75, 873, 1063
- XmCutPasteProc 1281
- XmCvtByteStreamToXmString 79
- XmCvtCTToXmString 80
- XmCvtStringToUnitType 81
- XmCvtTextPropertyToXmStringTable 82
- XmCvtXmStringTableToTextProperty 84
- XmCvtXmStringToByteStream 87
- XmCvtXmStringToCT 88
- XmDataField 727
- XmDataFieldCopy 476
- XmDataFieldCut 480
- XmDataFieldCut(), XmDataFieldCopy() 727
- XmDataFieldGetSelection 496
- XmDataFieldGetSelection() 727
- XmDataFieldGetSelectionPosition 497
- XmDataFieldGetSelectionPosition() 727
- XmDataFieldGetString() 727
- XmDataFieldGetStringWes() 727
- XmDataFieldPaste() 727
- XmDataFieldSeHighlight 529
- XmDataFieldSetAddMode 526
- XmDataFieldSetAddMode() 727
- XmDataFieldSetEditable 528
- XmDataFieldSetEditable() 727
- XmDataFieldSetHighlight() 727
- XmDataFieldSetInsertionPosition 532
- XmDataFieldSetInsertionPosition() 727
- XmDataFieldSetSelection 535
- XmDataFieldSetSelection() 727
- XmDataFieldSetString 538

XmDataFieldSetString() 727  
XmDataFieldSetStringWcs 540  
XmDataFieldShowPosition 543  
XmDataFieldShowPosition() 727  
xmDataFieldWidgetClass 727  
XmDataFieldXYToPos 545  
XmDataFieldXYToPos() 727  
XmDeactivateProtocol 90  
XmDeactivateWMProtocol 91  
XmDEFAULT\_DIRECTION 832, 843  
XmDEFAULT\_SELECT\_COLOR 712, 842, 1048  
XmDestinationCallbackStruct 717, 754, 846, 1027, 1281  
XmDESTROY 611, 645  
XmDestroyPixmap 92  
XmDETAIL 707, 711  
XmDIALOG\_APPLICATION\_MODAL 665  
XmDIALOG\_CANCEL\_BUTTON 875  
XmDIALOG\_COMMAND 987  
XmDIALOG\_COMMAND\_TEXT 54, 104  
XmDIALOG\_ERROR 875  
XmDIALOG\_FILE\_SELECTION 987  
XmDIALOG\_FULL\_APPLICATION\_MODAL 665  
XmDIALOG\_HELP\_BUTTON 875  
XmDIALOG\_HISTORY\_LIST 54  
XmDIALOG\_INFORMATION 828, 875  
XmDIALOG\_MESSAGE 875  
XmDIALOG\_MODELESS 665  
XmDIALOG\_OK\_BUTTON 875  
XmDIALOG\_PRIMARY\_APPLICATION\_MODAL 665  
XmDIALOG\_PROMPT 987  
XmDIALOG\_PROMPT\_LABEL 54  
XmDIALOG\_QUESTION 875  
XmDIALOG\_SELECTION 987  
XmDIALOG\_SYSTEM\_MODAL 665  
XmDIALOG\_TEMPLATE 875  
XmDIALOG\_WARNING 875  
XmDIALOG\_WORK\_AREA 54, 665, 987  
XmDIALOG\_WORKING 875  
xmDialogShellWidgetClass 731  
XmDirection 1282  
XmDirectionMatch 93  
XmDirectionMatchPartial 95  
XmDirectionToStringDirection 97  
XmDisplay 734  
XmDisplayCallbackStruct 739, 1282  
xmDisplayClass 734  
XmDO\_NOTHING 645  
XmDOUBLE\_DASHED\_LINE 937, 995  
XmDOUBLE\_LINE 937, 995  
XmDOUBLE\_SEPARATOR 946  
XmDRAG\_DROP\_ONLY 736  
XmDRAG\_DYNAMIC 736  
XmDRAG\_NONE 736  
XmDRAG\_PREFER\_DYNAMIC 736  
XmDRAG\_PREFER\_PREREGISTER 736  
XmDRAG\_PREFER\_RECEIVER 736  
XmDRAG\_PREREGISTER 736  
XmDRAG\_UNDER\_HIGHLIGHT 769  
XmDRAG\_UNDER\_NONE 769  
XmDRAG\_UNDER\_PIXMAP 769  
XmDRAG\_UNDER\_SHADOW\_IN 769  
XmDRAG\_UNDER\_SHADOW\_OUT 769  
XmDragCancel 98, 740  
XmDragContext 740  
xmDragContextClass 740  
XmDragDropFinishCallbackStruct 1282  
XmDragDropFinishCallback 744  
XmDragDropFinishCallbackStruct 744  
XmDragIcon 749  
xmDragIconObjectClass 749  
XmDragMotionCallback 744  
XmDragMotionCallbackStruct 744, 1283  
XmDragProcCallback 771  
XmDragProcCallbackStruct 771, 1283  
XmDragStart 99, 740  
XmDragStartCallbackStruct 739  
XmDrawingArea 752  
XmDrawingAreaCallbackStruct 753, 1283  
xmDrawingAreaWidgetClass 752  
XmDrawnButton 757  
XmDrawnButtonCallbackStruct 759, 1284  
xmDrawnButtonWidgetClass 757  
XmDROP\_COPY 742, 770  
XmDROP\_DOWN\_COMBO\_BOX 693, 695  
XmDROP\_DOWN\_LIST 693, 695  
XmDROP\_LINK 742, 770  
XmDROP\_MOVE 742, 770  
XmDROP\_NOOP 742, 770

- XmDROP\_SITE\_ACTIVE 115, 769
- XmDROP\_SITE\_COMPOSITE 116, 770
- XmDROP\_SITE\_INACTIVE 770
- XmDROP\_SITE\_INVALID 746
- XmDROP\_SITE\_SIMPLE 770
- XmDROP\_SITE\_VALID 746
- XmDropDown 763
- XmDropDownGetArrow() 763
- XmDropDownGetChild 104
- XmDropDownGetChild() 763
- XmDropDownGetLabel 106
- XmDropDownGetLabel() 763
- XmDropDownGetList 107
- XmDropDownGetList() 763
- XmDropDownGetText 108
- XmDropDownGetText() 763
- XmDropDownGetValue 109
- xmDropDownWidgetClass 763
- XmDropFinishCallback 744
- XmDropFinishCallbackStruct 744, 1284
- XmDropProcCallback 771
- XmDropProcCallbackStruct 771, 1284
- XmDropSite 768
- XmDropSiteConfigureStackingOrder 110, 768
- XmDropSiteEndUpdate 112, 768
- XmDropSiteEnterCallback 745
- XmDropSiteEnterCallbackStruct 745, 1285
- XmDropSiteLeaveCallback 745
- XmDropSiteLeaveCallbackStruct 745, 1285
- XmDropSiteQueryStackingOrder 113, 768
- XmDropSiteRegister 115, 768
- XmDropSiteRetrieve 118, 768
- XmDropSiteStartUpdate 119, 768
- XmDropSiteUnregister 120, 768
- XmDropSiteUpdate 121, 768
- XmDropStartCallback 745
- XmDropStartCallbackStruct 745, 1285
- XmDropTransfer 773
- XmDropTransferAdd 122, 773
- XmDropTransferEntry 774, 1286
- xmDropTransferEntryRec 774, 1286
- xmDropTransferObjectClass 773
- XmDropTransferStart 124, 773
- XmEACH\_SIDE 956
- XmErrorDialog 776
- XmETCHED\_LINE 956, 970
- XmEXCLUSIVE\_TAB\_GROUP 805, 861
- XmEXPANDED 715
- XmEXPLICIT 645
- XmExt18ListUnselectAllItems 277
- XmExt18ListUnselectItem 278
- XmEXTENDED\_SELECT 713, 843
- XmEXTERNAL\_HIGHLIGHT 736
- XmFALLBACK\_CHARSET 1145
- XmFILE\_ANY\_TYPE 781
- XmFILE\_DIRECTORY 781
- XmFILE\_REGULAR 781
- XmFileSelectionBox 777
- XmFileSelectionBoxCallbackStruct 782, 1286
- XmFileSelectionBoxGetChild 127, 777, 786
- xmFileSelectionBoxWidgetClass 777
- XmFileSelectionDialog 786
- XmFileSelectionDoSearch 130, 777, 786
- XmFillAll 671
- XmFillMinor 671
- XmFillNone 671
- XmFILTER\_HIDDEN\_FILES 780
- XmFILTER\_NONE 780
- XmFIRST\_FIT 714
- XmFONT\_IS\_FONT 936
- XmFONT\_IS\_FONTSET 936
- XmFONT\_UNITS 67, 69, 648, 806, 862
- XmFontContext 1286
- XmFontList 1286
- XmFontListAdd 131
- XmFontListAppendEntry 133
- XmFontListCopy 135
- XmFontListCreate 137
- XmFontListCreate\_r 139
- XmFontListEntry 1287
- XmFontListEntryCreate 140
- XmFontListEntryCreate\_r 143
- XmFontListEntryFree 144
- XmFontListEntryGetFont 145
- XmFontListEntryGetTag 147
- XmFontListEntryLoad 148
- XmFontListFree 150
- XmFontListFreeFontContext 151
- XmFontListGetNextFont 152
- XmFontListInitFontContext 154
- XmFontListNextEntry 156
- XmFontListRemoveEntry 158

XmFontSelector 787  
xmFontSelectorWidgetClass 787  
XmFontType 1287  
XmFOREGROUND\_COLOR 957, 970  
XmForm 792  
XmFormDialog 798  
xmFormWidgetClass 792  
XmFrame 799  
XmFRAME\_GENERIC\_CHILD 800  
XmFRAME\_TITLE\_CHILD 800  
XmFRAME\_WORKAREA\_CHILD 800  
xmFrameWidgetClass 799  
XmGadget 803  
xmGadgetClass 803  
XmGetAtomName 160  
XmGetColorCalculation 161  
XmGetColors 14, 163  
XmGetDestination 165  
XmGetDragContext 166  
XmGetFocusWidget 167  
XmGetMenuCursor 168  
XmGetPixmap 169  
XmGetPixmapByDepth 171  
XmGetPostedFromWidget 173  
XmGetScaledPixmap 174  
XmGetSecondaryResourceData 176  
XmGetTabGroup 179  
XmGetTearOffControl 180  
XmGetVisibility 181  
XmGetXmDisplay 183, 734  
XmGetXmScreen 184, 962  
XmGrabShell 699, 808  
xmGrabShellWidgetClass 808  
XmGRID 714  
XmGROW\_BALANCED 714  
XmGROW\_MAJOR 714  
XmGROW\_MINOR 714  
XmHierarchy 812  
XmHierarchyGetChildNodes 185  
XmHierarchygetChildNodes() 812  
XmHierarchyNodeStateData 815  
XmHierarchyOpenAllAncestors 186  
XmHierarchyOpenAllAncestors() 812  
xmHierarchyWidgetClass 812  
XmHIGHLIGHT\_COLOR 712, 842, 1048  
XmHighlightMode 1288  
XmHOR\_SCROLLBAR 982  
XmHORIZONTAL 891, 901, 943, 955, 969, 995  
XmICCEncodingStyle 1288  
XmIconButton 817  
XmIconButtonIsCellEmpty 187  
xmlIconButtonWidgetClass 817  
XmIconButton 820  
xmIconButtonWidgetClass 820  
XmIconGadget 824  
xmIconGadgetClass 824  
XmIm 188  
XmImCloseXIM 190  
XmImFreeXIC 191  
XmImGetXIC 192  
XmImGetXIM 194  
XmImMbLookupString 195  
XmImMbResetIC 197  
XmImRegister 198  
XmImSetFocusValues 199  
XmImSetValues 200  
XmImSetXIC 201  
XmImUnregister 202  
XmImUnsetFocus 203  
XmImVaSetFocusValues 204  
XmImVaSetValues 205  
XmINCHES 67, 69, 648, 806, 862  
XmIncludeStatus 1288  
XmINDETERMINATE 1049  
XmINDICATOR\_BOX 1047  
XmINDICATOR\_CHECK 1047  
XmINDICATOR\_CHECK\_BOX 1047  
XmINDICATOR\_CROSS 1047  
XmINDICATOR\_CROSS\_BOX 1047  
XmINDICATOR\_FILL 1047  
XmINDICATOR\_NONE 1047  
XmInformationDialog 828  
XmInputPolicy 193  
XmINSERT 907  
XmInstallImage 206  
XmINTERNAL\_HIGHLIGHT 736  
XmInternAtom 209  
XmINVOKE 907  
XmIsArrowButton 211, 656  
XmIsArrowButtonGadget 211, 661  
XmIsBulletinBoard 211

- XmlsCascadeButton 211, 674
- XmlsCascadeButtonGadget 211, 679
- XmlsComboBox 211, 692
- XmlsCommand 211, 702
- XmlsContainer 211
- XmlsDialogShell 211, 731
- XmlsDisplay 211, 734
- XmlsDragContext 211
- XmlsDragIconObjectClass 211, 749
- XmlsDrawingArea 212, 752
- XmlsDrawnButton 212, 757
- XmlsDropSiteManager 212
- XmlsDropTransfer 212
- XmlsFileSelectionBox 212, 777, 786
- XmlsForm 212, 792
- XmlsFrame 212, 799
- XmlsGadget 211
- XmlsGrabShell 212, 808
- XmlsIconGadget 212, 824
- XmlsLabel 212, 829
- XmlsLabelGadget 212, 835
- XmlsList 212, 838
- XmlsMainWindow 212, 855
- XmlsManager 211, 859
- XmlsMenuShell 212, 869
- XmlsMessageBox 212, 873
- XmlsMotifWMRunning 210
- XmlsNotebook 212, 886
- XmlsPanedWindow 212, 900
- XmlsPrimitive 211
- XmlsPrintShell 213, 912
- XmlsPushButton 213, 921
- XmlsPushButtonGadget 213, 929
- XmlsRowColumn 213, 682, 867, 895, 933, 938
- XmlsScale 213, 953
- XmlsScreen 213, 962
- XmlsScrollBar 213, 967
- XmlsScrolledWindow 213, 979
- XmlsSelectionBox 213, 918, 985
- XmlsSeparator 213, 994
- XmlsSeparatorGadget 213, 997
- XmlsText 213, 1021
- XmlsTextField 213, 1040
- XmlsToggleButton 213, 1045
- XmlsToggleButtonGadget 213, 1055
- XmlsTraversable 216
- XmlsVendorShell 213, 643
- XmKeySymTable 1288
- XmLabel 829
- XmLabelGadget 835
- xmLabelGadgetClass 835
- xmLabelWidgetClass 829
- XmLARGE\_ICON 711, 826
- XmLEFT\_TO\_RIGHT 96, 645, 805, 861, 871
- XmLEFT\_TO\_RIGHT\_BOTTOM\_TO\_TOP 96, 646, 861, 871
- XmLEFT\_TO\_RIGHT\_TOP\_TO\_BOTTOM 96, 646, 861, 871
- XmList 838
- XmListAddItem 217
- XmListAddItems 217
- XmListAddItemsUnselected 218
- XmListAddItemUnselected 218
- XmListCallbackStruct 845, 1289
- XmListDeleteAllItems 221
- XmListDeleteItem 222
- XmListDeleteItems 222
- XmListDeleteItemsPos 223
- XmListDeletePos 224
- XmListDeletePositions 225
- XmListDeselectAllItems 226
- XmListDeselectItem 227
- XmListDeselectPos 228
- XmListGetKbdItemPos 229
- XmListGetMatchPos 230
- XmListGetSelectedPos 232
- XmListItemExists 233
- XmListItemPos 234
- XmListPosSelected 236
- XmListPosToBounds 237
- XmListReplaceItems 239
- XmListReplaceItemsPos 240
- XmListReplaceItemsPosUnselected 241
- XmListReplaceItemsUnselected 243
- XmListReplacePositions 245
- XmListSelectItem 246
- XmListSelectPos 247
- XmListSetAddMode 249
- XmListSetBottomItem 250
- XmListSetBottomPos 251
- XmListSetHorizPos 252
- XmListSetItem 253

XmListSetKbdItemPos 254  
XmListSetPos 255  
XmListUpdateSelectedList 257  
xmListWidgetClass 838  
XmListYToPos 258  
XmLOAD\_DEFERRED 937  
XmLOAD\_IMMEDIATE 937  
XmMainWindow 855  
XmMainWindowSep1 259, 855  
XmMainWindowSep2 259, 855  
XmMainWindowSep3 259, 855  
XmMainWindowSetAreas 260, 855  
xmMainWindowWidgetClass 855  
XmMAJOR\_TAB 891  
XmManager 859  
xmManagerWidgetClass 859  
XmMapSegmentEncoding 263  
XmMARQUEE 713  
XmMARQUEE\_EXTEND\_BOTH 713  
XmMARQUEE\_EXTEND\_START 713  
XmMAX\_ON\_BOTTOM 955, 969  
XmMAX\_ON\_LEFT 955, 969  
XmMAX\_ON\_RIGHT 955, 969  
XmMAX\_ON\_TOP 955, 969  
XmMAX\_SIDE 956  
XmMENU\_BAR 944  
XmMENU\_OPTION 944  
XmMENU\_POPUP 944  
XmMENU\_PULLDOWN 944  
XmMenuBar 867  
XmMenuPosition 264, 910  
XmMenuShell 869  
xmMenuShellWidgetClass 869  
XmMergeMode 1290  
XmMessageBox 873  
XmMessageBoxGetChild 266, 776, 828, 873, 879, 932, 1020, 1062, 1063  
xmMessageBoxWidgetClass 873  
XmMessageDialog 879  
XmMILLIMETERS 67, 68, 648  
XmMIN\_SIDE 956  
XmMINOR\_TAB 891  
XmMULTI\_LINE\_EDIT 1022  
XmMULTIBYTE\_TEXT 908  
XmMULTICLICK\_DISCARD 657, 757, 922  
XmMULTICLICK\_KEEP 657, 758, 922  
XmMultiList 880  
XmMultiListDeselectItems 268  
XmMultiListDeselectItems() 880  
XmMultiListDeselectRow 269  
XmMultiListDeselectRow() 880  
XmMultiListGetSelectedRowArray 270  
XmMultiListGetSelectedRowArray() 880  
XmMultiListGetSelectedRows 271  
XmMultiListGetSlectedRows() 880  
XmMultiListMakeRowVisible 272  
XmMultiListMakeRowVisible() 880  
XmMultiListSelectAllItems 273  
XmMultiListSelectAllItems() 880  
XmMultiListSelectItems() 880  
XmMultiListSelectRow() 880  
XmMultiListToggleRow 276  
XmMultiListToggleRow() 880  
XmMultiListUnselectAllItems() 880  
XmMultiListUnselectItem() 880  
xmMultiListWidgetClass 880  
XmMULTIPLE\_SELECT 713, 843  
XmN\_OF\_MANY 1048  
XmN100DPIString 788  
XmN75DPIString 788  
XmNaccelerator 829  
XmNaccelerators 617  
XmNacceleratorText 829  
XmNaccessColors 860  
XmNactivateCallback 657, 675, 758, 821, 923, 1026  
XmNadjustLast 939  
XmNadjustMargin 939  
XmNalignment 728, 821, 825, 829  
XmNallowOverlap 663  
XmNallowResize 902  
XmNallowShellResize 634  
XmNancestorSensitive 617, 624  
XmNanimationMask 768  
XmNanimationPixmap 768  
XmNanimationPixmapDepth 769  
XmNanimationStyle 769  
XmNanyLowerString 788  
XmNanyString 788  
XmNapplyCallback 988  
XmNapplyLabelString 986  
XmNargc 610

- XmNargv 610
- XmNarmCallback 657, 758, 923, 1049
- XmNarmColor 821, 921
- XmNarmPixmap 921
- XmNarrowDirection 656
- XmNarrowLayout 1005
- XmNarrowOrientation 1005
- XmNarrowSensitivity 999, 1007
- XmNarrowSize 694, 1005
- XmNarrowSpacing 694
- XmNattachment 750
- XmNaudibleWarning 643
- XmNautoClose 813
- XmNautoDragModel 980
- XmNautoFill 728
- XmNautomaticSelection 708, 839
- XmNautoShowCursorPosition 1021
- XmNautoUnmanage 663
- XmNavigationType 1290
- XmNbackground 617, 804
- XmNbackgroundPixmap 617, 804
- XmNbackPageBackground 888
- XmNbackPageForeground 888
- XmNbackPageNumber 888
- XmNbackPagePlacement 888
- XmNbackPageSize 888
- XmNbaseHeight 651
- XmNbaseWidth 651
- XmNbindingPixmap 888
- XmNbindingType 888
- XmNbindingWidth 888
- XmNbitmapConversionModel 962
- XmNblendModel 741
- XmNblinkRate 1024, 1040
- XmNblueSliderLabel 685
- XmNboldString 788
- XmNborderColor 617
- XmNborderPixmap 617
- XmNborderWidth 617, 624, 661, 698
- XmNbothString 788
- XmNbottomAttachment 793
- XmNbottomOffset 793
- XmNbottomPosition 793
- XmNbottomShadowColor 804, 808, 860
- XmNbottomShadowPixmap 804, 808, 860
- XmNbottomWidget 793
- XmNbrowseSelectionCallback 843
- XmNbuttonAccelerators 945
- XmNbuttonAcceleratorText 945
- XmNbuttonCount 945
- XmNbuttonFontList 643, 663, 870
- XmNbuttonMnemonicCharSets 945
- XmNbuttonMnemonics 945
- XmNbuttonRenderTable 643, 663, 870
- XmNbuttons 945
- XmNbuttonSet 945
- XmNbuttonType 945
- XmNcancelButton 663
- XmNcancelCallback 875, 988
- XmNcancelLabelString 874, 986
- XmNcascadePixmap 674
- XmNcascadingCallback 675
- XmNchildHorizontalAlignment 800
- XmNchildHorizontalSpacing 800
- XmNchildPlacement 986
- XmNchildren 613
- XmNchildType 800
- XmNchildVerticalAlignment 800
- XmNclientData 741, 907
- XmNclipWindow 980
- XmNcloseFolderPixmap 813
- XmNcollapsedStatePixmap 709
- XmNcolorAllocationProc 962
- XmNcolorCalculationProc 962
- XmNcolorListToggleLabel 685
- XmNcolormap 617
- XmNcolorMode 685
- XmNcolorName 685
- XmNcolumns 694, 999, 1024, 1040
- XmNcolumnTitles 881
- XmNcomboBoxType 694
- XmNcommand 702
- XmNcommandChangedCallback 703
- XmNcommandEnteredCallback 703
- XmNcommandWindow 856
- XmNcommandWindowLocation 856
- XmNconnectStyle 898, 1059
- XmNconstrainWidth 898
- XmNconvertCallback 715, 753, 957
- XmNconvertProc 741
- XmNcreatePopupChildProc 634
- XmNcurrentFont 788

XmNcurrentPageNumber 889  
XmNcursorBackground 741  
XmNcursorForeground 741  
XmNcursorPosition 1021, 1040  
XmNcursorPositionVisible 1024, 1040  
XmNcustomizedCombinationBox 764  
XmNdarkThreshold 962  
XmNdecimalPoints 954, 999, 1007  
XmNdecrementCallback 971  
XmNdefaultActionCallback 715, 843  
XmNdefaultArrowSensitivity 1005  
XmNdefaultButton 664, 671  
XmNdefaultButtonEmphasis 735  
XmNdefaultButtonShadowThickness 922  
XmNdefaultButtonType 874  
XmNdefaultCopyCursorIcon 962  
XmNdefaultEncodingString 788  
XmNdefaultEntryLabelAlignment 689  
XmNdefaultEntryLabelFontList 689  
XmNdefaultFillStyle 689  
XmNdefaultFontList 643, 870  
XmNdefaultInvalidCursorIcon 962  
XmNdefaultLinkCursorIcon 962  
XmNdefaultMoveCursorIcon 963  
XmNdefaultNoneCursorIcon 963  
XmNdefaultPixmapResolution 913  
XmNdefaultPosition 664  
XmNdefaultSourceCursorIcon 963  
XmNdefaultValidCursorIcon 963  
XmNdefaultVirtualBindings 735  
XmNdeleteResponse 611, 643  
XmNdepth 617, 750  
XmNdestinationCallback 715, 753, 843, 1026  
XmNdestroyCallback 617, 621  
XmNdetail 708, 825  
XmNdetailColumnHeading 708, 709  
XmNdetailColumnHeadingCount 709  
XmNdetailCount 825  
XmNdetailOrder 709  
XmNdetailOrderCount 709  
XmNdetailShadowThickness 656, 1005, 1046  
XmNdetailTabList 709  
XmNdialogStyle 664, 669  
XmNdialogTitle 664  
XmNdialogType 776, 786, 828, 874, 879, 918, 932, 986, 993, 1020, 1062, 1063  
XmNdirectory 778  
XmNdirectoryValid 778  
XmNdirListItemCount 778  
XmNdirListItems 778  
XmNdirListLabelString 778  
XmNdirMask 778  
XmNdirSearchProc 778  
XmNdirSpec 778  
XmNdirTextLabelString 778  
XmNdisarmCallback 657, 758, 923, 1049  
XmNdistribution 689  
XmNdoubleClickCallback 821, 881  
XmNdoubleClickInterval 839  
XmNdragCallback 957, 971  
XmNdragDropFinishCallback 743  
XmNdragInitiatorProtocolStyle 735  
XmNdragMotionCallback 743  
XmNdragOperations 741  
XmNdragProc 770  
XmNdragReceiverProtocolStyle 735  
XmNdragStartCallback 738  
XmNdropFinishCallback 743  
XmNdropProc 770  
XmNdropRectangles 769  
XmNdropSiteActivity 769  
XmNdropSiteEnterCallback 743  
XmNdropSiteLeaveCallback 743  
XmNdropSiteOperations 769  
XmNdropSiteType 769  
XmNdropStartCallback 743  
XmNdropTransfers 773  
XmNeditable 764, 954, 968, 999, 1021, 1040  
XmNeditMode 1021  
XmNenableBtn1Transfer 735  
XmNenableButtonTab 735  
XmNenableDragIcon 735  
XmNenableEtchedInMenu 735  
XmNenableFdbPickList 778  
XmNenableMultiKeyBindings 735  
XmNenableThinThickness 657, 735  
XmNenableToggleColor 735  
XmNenableToggleVisual 735  
XmNenableUnselectableDrag 735  
XmNenableWarp 735  
XmNencodingList 788  
XmNencodingString 788

- XmNendJobCallback 914
- XmNentryAlignment 939
- XmNentryBorder 939
- XmNentryCallback 947
- XmNentryClass 868, 934, 939
- XmNentryData 881
- XmNentryParent 714
- XmNentryVerticalAlignment 939
- XmNentryViewType 709
- XmNequalSize 671
- XmNexpandedStatePixmap 709
- XmNexportTargets 741
- XmNexposeCallback 753, 758
- XmNextendedSelectionCallback 843
- XmNfamilyString 788
- XmNfileFilterStyle 778
- XmNfileListItemCount 779
- XmNfileListItems 779
- XmNfileListLabelString 779
- XmNfileReadError 685
- XmNfileSearchProc 779
- XmNfileTypeMask 779
- XmNfillOnArm 922
- XmNfillOnSelect 1046
- XmNfillOption 671
- XmNfilterLabelString 779
- XmNfindLabel 881
- XmNfirstColumn 881
- XmNfirstColumnPixmaps 881
- XmNfirstPageNumber 889
- XmNfirstRow 881
- XmNfocusCallback 666, 1026
- XmNfont 936, 963
- XmNfontList 694, 709, 821, 825, 829, 839, 881, 954, 1015, 1024, 1040
- XmNfontName 936
- XmNfontType 936
- XmNforeground 804, 860
- XmNforegroundThreshold 963
- XmNfractionBase 792
- XmNframeBackground 889
- XmNframeChildType 800
- XmNframeShadowThickness 889
- XmNgainPrimaryCallback 1026
- XmNgeometry 634
- XmNgrabStyle 808
- XmNgreenSliderLabel 685
- XmNheight 617, 624, 750, 881
- XmNheightInc 651
- XmNhelpCallback 806, 862
- XmNhelpLabelString 874, 986
- XmNhighlightColor 804, 860
- XmNhighlightOnEnter 804, 954
- XmNhighlightPixmap 804, 860
- XmNhighlightThickness 694, 698, 804, 954, 1015
- XmNhistoryItemCount 703
- XmNhistoryItems 702
- XmNhistoryMaxItems 703
- XmNhistoryVisibleItemCount 703
- XmNhorizontalFontUnit 963
- XmNhorizontalMargin 764, 813, 818, 821
- XmNhorizontalNodeSpace 1059
- XmNhorizontalScrollBar 839, 980
- XmNhorizontalSpacing 792
- XmNhotX 750
- XmNhotY 750
- XmNiconic 637
- XmNiconMask 651
- XmNiconName 637
- XmNiconNameEncoding 637
- XmNiconPixmap 651
- XmNiconPlacement 821
- XmNiconTextPadding 821
- XmNiconWindow 651
- XmNiconX 651
- XmNiconY 651
- XmNimportTargets 769
- XmNincludeStatus 907
- XmNincrement 968
- XmNincremental 741, 774
- XmNincrementCallback 971
- XmNincrementValue 1000, 1007
- XmNindentSpace 898
- XmNindeterminateInsensitivePixmap 1046
- XmNindeterminatePixmap 1046
- XmNindicatorOn 1046
- XmNindicatorSize 1046
- XmNindicatorType 1046
- XmNinitialDelay 968, 1005
- XmNinitialFocus 860
- XmNinitialResourcesPersistent 618

XmNInitialState 651  
XmNinnerMarginHeight 889  
XmNinnerMarginWidth 889  
XmNinput 651  
XmNinputCallback 753  
XmNinputMethod 643  
XmNinputPolicy 644  
XmNinsensitiveStippleBitmap 963  
XmNinsertBefore 814  
XmNinsertPosition 613  
XmNinvalidCursorForeground 741  
XmNinvokeParseProc 907  
XmNisAligned 939  
XmNisHomogeneous 939  
XmNisHomogenous 868, 934  
XmNitalicString 788  
XmNitemCount 694, 764, 839  
XmNitems 694, 764, 839  
XmNitemSpacing 689  
XmNkeyboardFocusPolicy 644  
XmNlabel 821  
XmNlabelFontList 644, 664, 870  
XmNlabelInsensitivePixmap 830  
XmNlabelPixmap 830  
XmNlabelRenderTable 644, 664, 870  
XmNlabelSpacing 689  
XmNlabelString 764, 821, 825, 830, 939  
XmNlabelType 830  
XmNlargeCellHeight 709  
XmNlargeCellWidth 709  
XmNlargeIconMask 825  
XmNlargeIconPixmap 825  
XmNlastPageNumber 889  
XmNlayoutDirection 644, 693, 804, 860, 870  
XmNlayoutType 707, 708, 709  
XmNleftAttachment 793  
XmNleftOffset 793  
XmNleftPosition 793  
XmNleftWidget 793  
XmNlightThreshold 963  
XmNlist 694  
XmNlistItemCount 986  
XmNlistItems 986  
XmNlistLabelString 918, 986  
XmNlistMarginHeight 839  
XmNlistMarginWidth 839  
XmNlistSizePolicy 698, 839  
XmNlistSpacing 839  
XmNlistUpdated 779  
XmNlistVisibleItemCount 918, 986  
XmNloadModel 936  
XmNlosePrimaryCallback 1026  
XmNlosingFocusCallback 1026  
XmNmainWindowMarginHeight 856  
XmNmainWindowMarginWidth 856  
XmNmajorTabSpacing 889  
XmNmapCallback 666, 947  
XmNmappedWhenManaged 618  
XmNmappingDelay 674  
XmNmargin 994  
XmNmarginBottom 830  
XmNmarginHeight 664, 671, 685, 694, 709, 752, 788, 799, 825, 830, 900, 939, 1005, 1022, 1041  
XmNmarginLeft 830  
XmNmarginRight 830  
XmNmarginTop 830  
XmNmarginWidth 664, 671, 685, 694, 709, 752, 799, 825, 830, 900, 939, 1005, 1022, 1041  
XmNmask 750  
XmNmatchBehavior 693, 694, 839  
XmNmaxAspectX 651  
XmNmaxAspectY 652  
XmNmaxHeight 652  
XmNmaximum 954, 968  
XmNmaximumValue 1000, 1007  
XmNmaxLength 1022, 1041  
XmNmaxWidth 652  
XmNmaxX 913  
XmNmaxY 913  
XmNmenuAccelerator 868, 911, 939  
XmNmenuBar 856  
XmNmenuCursor 963  
XmNmenuHelpWidget 939  
XmNmenuHistory 939  
XmNmenuPost 868, 896, 911, 939  
XmNmessageAlignment 874  
XmNmessageString 874  
XmNmessageWindow 856  
XmNminAspectX 652  
XmNminAspectY 652  
XmNminHeight 652

- XmNminimizeButtons 874, 986
- XmNminimum 954, 968
- XmNminimumCellHeight 818
- XmNminimumCellWidth 818
- XmNminimumHorizontalCells 818
- XmNminimumValue 1000, 1007
- XmNminimumVerticalCells 818
- XmNminorTabSpacing 889
- XmNminWidth 652
- XmNminX 913
- XmNminY 913
- XmNmnemonic 830, 939
- XmNmnemonicCharSet 830, 939
- XmNmodifyVerifyCallback 1009, 1026
- XmNmodifyVerifyCallbackWcs 1026
- XmNmonoSpaceString 788
- XmNmotifVersion 735
- XmNmotionVerifyCallback 1026
- XmNmoveOpaque 963
- XmNmulciClick 656
- XmNmultiClick 757, 922
- XmNmultipleSelectionCallback 843
- XmNmustMatch 986
- XmNmwmDecorations 644
- XmNmwmFunctions 644
- XmNmwmInputMode 644
- XmNmwmMenu 644
- XmNnavigationType 682, 698, 804, 860, 934
- XmNnoCellError 685
- XmNnodeCLOseFolderPixmap 814
- XmNnodeOpenFolderPixmap 814
- XmNnodeState 814
- XmNnodeStateBeginEndCallback 813
- XmNnodeStateCallback 813
- XmNnodeStateChangedCallback 813
- XmNnoFontCallback 738
- XmNnoMatchCallback 988
- XmNnoMatchString 779
- XmNnoneCursorForeground 741
- XmNnoRenditionCallback 738
- XmNnoResize 664
- XmNnotebookChildType 891
- XmNnumChildren 613
- XmNnumColumns 881, 940
- XmNnumDropRectangles 769
- XmNnumDropTransfers 774
- XmNnumExportTargets 741
- XmNnumImportTargets 769
- XmNnumRows 881
- XmNnumValues 1000, 1007
- XmNO\_AUTO\_SELECT 710, 840
- XmNO\_DROP\_SITE 746
- XmNO\_LINE 712, 937, 995
- XmNO\_SCROLL 982
- XmNoffsetX 750
- XmNoffsetY 750
- XmNokCallback 875, 989
- XmNokLabelString 874, 986
- XmNONE 644, 696, 714, 805, 841, 861, 889, 956, 970
- XmNopenFolderPixmap 813
- XmNoperationChangedCallback 743
- XmNoperationCursorIcon 741
- XmNoptionLabel 945
- XmNoptionMnemonic 945
- XmNoptionString 788
- XmNorientation 671, 689, 868, 889, 896, 901, 940, 954, 968, 994
- XmNOT\_SELECTED 827
- XmNotebook 886
- XmNotebookCallbackStruct 892, 1290
- XmNotebookGetPageInfo 279, 886
- XmNotebookPageInfo 1291
- XmNotebookPageInfo structure 280
- xmNotebookWidgetClass 886
- XmNotherString 788
- XmNoutlineButtonPolicy 709
- XmNoutlineChangedCallback 715
- XmNoutlineColumnWidth 709
- XmNoutlineIndentation 709
- XmNoutlineLineStyle 709
- XmNoutlineState 714
- XmNoverrideRedirect 634
- XmNownerEvents 809
- XmNpacking 940
- XmNpageChangedCallback 892
- XmNpageDecrementCallback 971
- XmNpageIncrement 968
- XmNpageIncrementCallback 971
- XmNpageNumber 891
- XmNpageSetupCallback 914
- XmNpaneMaximum 902

XmNpaneMinimum 902  
XmNparentNode 814  
XmNpathMode 779  
XmNpattern 779, 907  
XmNpatternType 907  
XmNpdmNotificationCallback 914  
XmNpendingDelete 1023, 1041  
XmNpicture 728  
XmNpictureErrorCallback 728  
XmNpixmap 750, 821  
XmNpopupCallback 634  
XmNpopupCallback 634  
XmNpopupCursor 764  
XmNpopupEnabled 911, 940  
XmNpopupHandlerCallback 862  
XmNpopupOffset 764  
XmNpopupShellWidget 764  
XmNposition 1000, 1007  
XmNpositionIndex 714, 902, 945  
XmNpositionMode 694  
XmNpositionType 1000, 1007  
XmNpostFromButton 945  
XmNpreeditType 644  
XmNprimaryOwnership 709, 839  
XmNprocessingDirection 954, 968  
XmNpromptString 703  
XmNpropSpaceString 788  
XmNpushButtonEnabled 757  
XmNqualifySearchDataProc 779  
XmNradioAlwaysOne 934, 940  
XmNradioBehavior 683, 934, 940  
XmNrecomputeSize 821, 830  
XmNredSliderLabel 685  
XmNrefigureMode 813, 901  
XmNrenderTable 694, 698, 709, 825, 830, 839, 954, 1024, 1041  
XmNrenditionBackground 936  
XmNrenditionForeground 936  
XmNrepeatDelat 1005  
XmNrepeatDelay 968  
XmNresizable 793, 891  
XmNresizeCallback 753, 758  
XmNresizeHeight 940, 1024  
XmNresizePolicy 664, 752  
XmNresizeWidth 940, 1024, 1041  
XmNrgbFile 685  
XmNrightAttachment 793  
XmNrightOffset 793  
XmNrightPosition 793  
XmNrightWidget 793  
XmNrowColumnType 683, 868, 896, 911, 920, 934, 940  
XmNrows 1024  
XmNrubberPositioning 792  
XmNsampleText 788  
XmNsashHeight 901  
XmNsashIndent 901  
XmNsashShadowThickness 901  
XmNsashWidth 901  
XmNsaveUnder 634  
XmNscaleHeight 954  
XmNscaleMultiple 954  
XmNscaleWidth 954  
XmNscalingString 788  
XmNscreen 618  
XmNscrollBarDisplayPolicy 839, 977, 978, 980  
XmNscrollBarPlacement 980  
XmNscrolledWindowChildType 982  
XmNscrolledWindowMarginHeight 980  
XmNscrolledWindowMarginWidth 980  
XmNscrollHorizontal 1025  
XmNscrollingPolicy 977, 978, 980  
XmNscrollLeftSide 1025  
XmNscrollTopSide 1025  
XmNscrollVertical 1025  
XmNselectColor 709, 839, 1046  
XmNselectedColumn 881  
XmNselectedItem 694  
XmNselectedItemCount 839  
XmNselectedItems 839  
XmNselectedObjectCount 709  
XmNselectedObjects 709  
XmNselectedPosition 694  
XmNselectedPositionCount 840  
XmNselectedPositions 840  
XmNselectInsensitivePixmap 1046  
XmNselectionArray 1023, 1041  
XmNselectionArrayCount 1023, 1041  
XmNselectionCallback 697, 715  
XmNselectionLabelString 986  
XmNselectionMode 840  
XmNselectionPolicy 698, 709, 840, 881

- XmNselectionTechnique 709
- XmNselectPixmap 1046
- XmNselectThreshold 1023, 1041
- XmNsensitive 618, 624
- XmNseparatorOn 901
- XmNseparatorType 994
- XmNset 821, 1046
- XmNshadowThickness 804, 809, 860
- XmNshadowType 664, 757, 799
- XmNshellUnitType 644
- XmNshowArrows 954, 968
- XmNshowAsDefault 922
- XmNshowFind 881
- XmNshowFontName 788
- XmNshowLabel 764
- XmNshowNameString 788
- XmNshowSeparator 856
- XmNshowValue 954
- XmNsimpleCallback 945
- XmNsingleSelectionCallback 844, 881
- XmNsizeString 788
- XmNskipAdjust 902
- XmNsliderMark 954, 968
- XmNsliderSize 954, 968
- XmNsliderTogLabel 685
- XmNsliderVisual 954, 968
- XmNslidingMode 954, 968
- XmNsmallCellHeight 709
- XmNsmallCellWidth 709
- XmNsmallIconMask 825
- XmNsmallIconPixmap 825
- XmNsnapBackMultiple 968
- XmNsortFunctions 881
- XmNsource 1022
- XmNsourceCursorIcon 741
- XmNsourcePixmapIcon 741
- XmNspacing 698, 788, 825, 901, 940, 980, 1005, 1046
- XmNspatialIncludeModel 708, 709
- XmNspatialResizeModel 709
- XmNspatialSnapModel 708, 710
- XmNspatialStyle 708, 710
- XmNspecifyLayoutDirection 860
- XmNspecifyUnitType 860
- XmNspinBoxChildType 1000, 1007
- XmNstackedEffect 1015
- XmNstartJobCallback 914
- XmNstateCursorIcon 741
- XmNstrikethruType 936
- XmNSTRING\_DIRECTION\_L\_TO\_R 822
- XmNSTRING\_DIRECTION\_R\_TO\_L 823
- XmNstringDirection 821, 830, 840, 860
- XmNsubMenuId 674, 940
- XmNsubstitute 907
- XmNsymbolPixmap 776, 828, 874, 932, 1062, 1063
- XmNtabAutoSelect 1015
- XmNtabCornerPercent 1015
- XmNtabLabelSpacing 1015
- XmNtabList 936
- XmNtabMarginHeight 1015
- XmNtabMarginWidth 1015
- XmNtabMode 1015
- XmNtabOffset 1015
- XmNtabOrientation 1015
- XmNtabSelectColor 1015
- XmNtabSelectedCallback 1015
- XmNtabSelectPixmap 1015
- XmNtabSide 1015
- XmNtabStyle 1015
- XmNtag 936
- XmNtearOffMenuActivateCallback 947
- XmNtearOffMenuDeactivateCallback 947
- XmNtearOffModel 940
- XmNtearOffTitle 940
- XmNtextAccelerators 986
- XmNtextColumns 986
- XmNtextField 694, 1000
- XmNtextFontList 644, 664
- XmNtextRenderTable 644, 664
- XmNtextRows 788
- XmNtextString 986
- XmNtextTranslations 664
- XmNtitle 652, 882
- XmNtitleEncoding 652
- XmNtitleString 954
- XmNtoBottomCallback 971
- XmNtoggleMode 1046
- XmNtoolTipEnable 644
- XmNtoolTipPostDelay 644
- XmNtoolTipPostDuration 644
- XmNtoolTipString 804

- XmNtopAttachment 793
- XmNtopCharacter 1022
- XmNtopItemPosition 840
- XmNtopLevelEnterCallback 743
- XmNtopLevelLeaveCallback 743
- XmNtopOffset 793
- XmNtopPosition 794
- XmNtopShadowColor 804, 809, 860
- XmNtopShadowPixmap 804, 809, 860
- XmNtopWidget 794
- XmNtotalLines 1022
- XmNtoTopCallback 971
- XmNtransferProc 774
- XmNtransferStatus 774
- XmNtransient 652
- XmNtransientFor 640
- XmNtranslations 618
- XmNtraversalOn 683, 698, 804, 860, 934
- XmNtraverseObscuredCallback 982
- XmNtroughColor 968
- XmNUMERIC 1001, 1008
- XmNunderlineType 936
- XmNuniformTabSize 1015
- XmNunitType 644, 804, 860
- XmNunmapCallback 666, 947
- XmNunpostBehavior 963
- XmNunselectColor 1046
- XmNupdateShellCallback 764
- XmNupdateTextCallback 764
- XmNuseAsyncGeometry 644
- XmNuseColorObject 963
- XmNuseImageCache 1015
- XmNuserData 735, 804, 860, 963
- XmNuseScaling 788
- XmNuseTextField 765
- XmNvalidateCallback 728
- XmNvalidCursorForeground 741
- XmNvalue 765, 954, 968, 1022, 1041
- XmNvalueChangedCallback 788, 957, 971, 1009, 1026, 1049
- XmNvalues 1000, 1007
- XmNvalueWcs 1022, 1041
- XmNverify 765
- XmNverifyBell 1022, 1041
- XmNverifyTextCallback 765
- XmNverticalFontUnit 963
- XmNverticalMargin 765, 813, 818, 821
- XmNverticalNodeSpace 1059
- XmNverticalScrollBar 840, 980
- XmNverticalSpacing 792
- XmNviewType 825
- XmNvisibleItemCount 694, 765, 840
- XmNvisibleWhenOff 1046
- XmNvisual 634
- XmNvisualEmphasis 825
- XmNvisualPolicy 698, 977, 978, 980
- XmNwaitForWm 652
- XmNwhichButton 940
- XmNwidth 618, 624, 750
- XmNwidthInc 652
- XmNwindowGroup 652
- XmNwinGravity 652
- XmNwmTimeout 652
- XmNwordWrap 1024
- XmNworkWindow 980
- XmNwrap 1000, 1007
- XmNx 618, 624
- XmNxlfString 788
- XmNy 618, 624
- XmObjectAtPoint 281
- XmOFF 736
- XmOffset 1291
- XmOffsetModel 1291
- XmOffsetModel values 454
- XmOffsetPtr 1291
- XmONE\_BASED 696
- XmONE\_OF\_MANY 1048
- XmONE\_OF\_MANY\_DIAMOND 1048
- XmONE\_OF\_MANY\_ROUND 1048
- XmOperationChangedCallback 745
- XmOperationChangedCallbackStruct 745, 1291
- XmOptionButtonGadget 283, 679, 895
- XmOptionLabelGadget 284, 835, 895
- XmOptionsMenu 895
- XmOUTLINE 707, 711
- XmOutline 897
- XmOUTLINE\_BUTTON\_ABSENT 711
- XmOUTLINE\_BUTTON\_PRESENT 712
- xmOutlineWidgetClass 897
- XmOWN\_ALWAYS 712, 841
- XmOWN\_MULTIPLE 712, 841
- XmOWN\_NEVER 712, 841

- XmOWN\_POSSIBLE\_MULTIPLE 712, 841
- XmPACK\_COLUMN 943
- XmPACK\_NONE 943
- XmPACK\_TIGHT 943
- XmPAGE 891
- XmPAGE\_SCROLLER 891
- XmPanedGetPanels 285
- XmPanedWindow 900
- xmPanedWindowWidgetClass 900
- XmParseMapping 906, 1291
- XmParseMappingCreate 286, 906
- XmParseMappingFree 289, 906
- XmParseMappingGetValues 290, 906
- XmParseMappingSetValues 292, 906
- XmParseModel 1292
- XmParseModel structure 446
- XmParseProc 908, 1292
- XmParseTable 1292
- XmParseTableFree 294
- XmPATH\_MODE\_FULL 781
- XmPATH\_MODE\_RELATIVE 781
- XmPER\_SHELL 645
- XmPER\_WIDGET 645
- XmPIXELS 67, 68, 81, 648, 806, 862
- XmPIXMAP 831, 889
- XmPIXMAP\_AND\_STRING 831
- XmPIXMAP\_OVERLAP\_ONLY 890
- XmPLACE\_ABOVE\_SELECTION 987
- XmPLACE\_BELOW\_SELECTION 987
- XmPLACE\_TOP 987
- XmPOINTER 645
- XmPOINTS 67, 69, 648, 806, 862
- XmPOPUP\_AUTOMATIC 943
- XmPOPUP\_AUTOMATIC\_RECURSIVE 943
- XmPOPUP\_DISABLED 943
- XmPOPUP\_KEYBOARD 943
- XmPopupHandlerCallbackStruct 863, 1293
- XmPopupMenu 910
- XmPOSITION\_INDEX 1001, 1008
- XmPOSITION\_VALUE 1001, 1008
- XmPrintPopupPDM 296, 912
- XmPrintSetup 298, 912
- XmPrintShell 912
- XmPrintShellCallbackStruct 914, 1293
- xmPrintShellWidgetClass 912
- XmPrintToFile 300, 912
- XmProcessTraversal 302
- XmPromptDialog 918
- XmPulldownMenu 919
- XmPUSHBUTTON 946
- XmPushButton 921
- XmPushButtonCallbackStruct 923, 1292
- XmPushButtonGadget 929
- xmPushButtonGadgetClass 929
- xmPushButtonWidgetClass 921
- XmQTaccessColors 643, 661, 803, 825, 835, 997
- XmQTaccessTextual 829, 835, 888, 986, 1005, 1021, 1040
- XmQTactivatable 656, 661, 757, 778, 874, 888, 921, 929, 986
- XmQTcparentVisual 661, 825, 835, 921, 997, 1055
- XmQTcontainer 708, 825
- XmQTcontainerItem 60, 708, 825
- XmQTdialogShellSavvy 663, 731
- XmQTjoinSide 888
- XmQTmenuSavvy 829, 835, 921, 929, 939, 994, 997, 1055
- XmQTmenuSystem 674, 679, 757, 829, 835, 856, 869, 921, 929, 939, 1046, 1055
- XmQTnavigator 708, 839, 888, 980, 1005, 1021
- XmQTpointIn 708, 825
- XmQTscrollFrame 708, 839, 888, 980, 1021
- XmQTspecifyLayoutDirection 643, 803, 869
- XmQTspecifyRenderTable 643, 663, 674, 679, 708, 757, 825, 829, 835, 839, 869, 921, 929, 954, 1021, 1040, 1046, 1055
- XmQTspecifyUnhighlight 803, 888
- XmQTspecifyUnitType 643, 803
- XmQTtakesDefault 663, 921, 929
- XmQTtransfer 708, 829, 835, 839, 954, 1021, 1040
- XmQTtraversalControl 708, 888
- XmQualifyProc 1293
- XmQuestionDialog 932
- XmQUICK\_NAVIGATE 696, 841
- XmRadioBox 933
- XmRADIOBUTTON 946
- XmRedisplayWidget 305, 912
- XmRegisterSegmentEncoding 308
- XmRemoveFromPostFromList 310

- XmRemoveProtocolCallback 311
- XmRemoveProtocols 312
- XmRemoveTabGroup 313
- XmRemoveWMProtocolCallback 314
- XmRemoveWMProtocols 315
- XmRenderTable 1294
- XmRenderTableAddRenditions 316
- XmRenderTableCopy 319
- XmRenderTableCvtFromProp 321
- XmRenderTableCvtToProp 322
- XmRenderTableFree 323
- XmRenderTableGetRendition 324
- XmRenderTableGetRenditions 325
- XmRenderTableGetTags 327
- XmRenderTableRemoveRenditions 329
- XmRendition 935, 1293
- XmRenditionCreate 330, 935
- XmRenditionFree 332, 935
- XmRenditionRetrieve 333, 935
- XmRenditionUpdate 335, 935
- XmRepTypeAddReverse 337
- XmRepTypeEntry 1294
- XmRepTypeEntry structure 340
- XmRepTypeGetId 338
- XmRepTypeGetNameList 339
- XmRepTypeGetRecord 340
- XmRepTypeGetRegistered 342
- XmRepTypeId 1294
- XmRepTypeInstallTearOffModelConverter 344
- XmRepTypeList 1294
- XmRepTypeRegister 345
- XmRepTypeValidValue 347
- XmRESIZE\_ANY 666, 753
- XmRESIZE\_GROW 666, 753
- XmRESIZE\_IF\_POSSIBLE 841
- XmRESIZE\_NONE 666, 753
- XmResolveAllPartOffsets 348
- XmResolvePartOffsets 349
- XmREVERSED\_GROUND\_COLORS 713, 842, 1048
- XmRIGHT\_TO\_LEFT 96, 645, 805, 861, 871
- XmRIGHT\_TO\_LEFT\_BOTTOM\_TO\_TOP 96, 646, 861, 871
- XmRIGHT\_TO\_LEFT\_TOP\_TO\_BOTTOM 96, 646, 861, 871
- XmROUND\_MARK 956, 970
- XmRowColumn 682, 938
- XmRowColumnCallbackStruct 948, 1294
- xmRowColumnWidgetClass 682, 867, 895, 933, 938
- XmScale 953
- XmScaleCallbackStruct 958, 1295
- XmScaleGetValue 350, 953
- XmScaleSetTicks 351, 953
- XmScaleSetValue 354, 953
- xmScaleWidgetClass 953
- XmScreen 962
- xmScreenClass 962
- XmScreenColorProc 965, 1295
- XmSCROLL\_HOR 982
- XmSCROLL\_VERT 982
- XmScrollBar 967
- XmScrollBarCallbackStruct 972, 1295
- XmScrollBarGetValues 355, 967
- XmScrollBarSetValues 356, 967
- xmScrollBarWidgetClass 967
- XmScrolledList 977
- XmScrolledText 978
- XmScrolledWindow 979
- XmScrolledWindowSetAreas 358, 979
- xmScrolledWindowWidgetClass 979
- XmScrollVisible 360, 979
- XmSearchProc 1296
- XmSecondaryResourceData 1296
- XmSELECT\_ALL 1024
- XmSELECT\_LINE 1023, 1042
- XmSELECT\_POSITION 1023, 1042
- XmSELECT\_WORD 1023, 1042
- XmSELECTED 827
- XmSelectionBox 985
- XmSelectionBoxCallbackStruct 989, 1296
- XmSelectionBoxGetChild 361, 918, 985, 993
- xmSelectionBoxWidgetClass 985
- XmSelectionCallbackStruct 1296
- XmSelectionDialog 993
- XmSEPARATOR 946
- XmSeparator 994
- XmSeparatorGadget 997
- xmSeparatorGadgetClass 997
- xmSeparatorWidgetClass 994
- XmSET 1049
- XmSetColorCalculation 363

- XmSetFontUnit 365
- XmSetFontUnits 366
- XmSetMenuCursor 367
- XmSetProtocolHooks 368
- XmSetWMPProtocolHooks 369
- XmSHADOW\_ETCHED\_IN 666, 758, 800, 995
- XmSHADOW\_ETCHED\_OUT 666, 758, 800, 995
- XmSHADOW\_IN 666, 758, 800
- XmSHADOW\_OUT 666, 758, 800
- XmSHADOWED\_BACKGROUND 957, 970
- XmSimpleSpinBox 999
- XmSimpleSpinBoxAddItem 370, 999
- XmSimpleSpinBoxDeletePos 372, 999
- XmSimpleSpinBoxSetItem 373, 999
- xmSimpleSpinBoxWidgetClass 999
- XmSINGLE 712
- XmSINGLE\_DASHED\_LINE 937, 995
- XmSINGLE\_LINE 937, 995
- XmSINGLE\_LINE\_EDIT 1022
- XmSINGLE\_SELECT 713, 843
- XmSLIDER 957, 970
- XmSMALL\_ICON 711, 827
- XmSNAP\_TO\_GRID 714
- XmSOLID 889
- XmSPATIAL 707, 711
- XmSpinBox 1004
- XmSpinBoxCallbackStruct 1009, 1297
- XmSpinBoxValidatePosition 374, 1004
- xmSpinBoxWidgetClass 1004
- XmSPIRAL 889
- XmSTATIC 842, 981
- XmSTATUS\_AREA 891
- XmSTICKY\_TAB\_GROUP 805, 861
- XmSTRING 831, 1001, 1008
- XmString 1297
- XmSTRING\_DIRECTION\_DEFAULT 861
- XmSTRING\_DIRECTION\_L\_TO\_R 832, 843, 861
- XmSTRING\_DIRECTION\_R\_TO\_L 832, 843, 861
- XmStringBaseline 376
- XmStringByteCompare 377
- XmStringByteStreamLength 378
- XmStringCharSet 1298
- XmStringCharSetTable 1298
- XmStringCompare 379
- XmStringComponentCreate 380
- XmStringComponentType 1298
- XmStringComponentType values 412
- XmStringConcat 382
- XmStringConcatAndFree 383
- XmStringContext 1299
- XmStringCopy 385
- XmStringCreate 386
- XmStringCreateLocalized 388
- XmStringCreateLtoR 390
- XmStringCreateSimple 392
- XmStringDirectionCreate 393
- XmStringDirectionToDirection 394
- XmStringDraw 395
- XmStringDrawImage 397
- XmStringDrawUnderline 399
- XmStringEmpty 401
- XmStringExtent 402
- XmStringFree 403
- XmStringFreeContext 405
- XmStringGenerate 407
- XmStringGetLtoR 409
- XmStringGetComponent 411
- XmStringGetNextSegment 414
- XmStringGetNextTriple 416
- XmStringHasSubstring 419
- XmStringHeight 420
- XmStringInitContext 421
- XmStringIsVoid 423
- XmStringLength 424
- XmStringLineCount 425
- XmStringNConcat 427
- XmStringNCopy 428
- XmStringParseText 429
- XmStringPeekNextComponent 432
- XmStringPeekNextTriple 434
- XmStringPutRendition 436
- XmStringSegmentCreate 437
- XmStringSeparatorCreate 438
- XmStringTable 1299
- XmStringTable, convert to XTextProperty 84
- XmStringTableParseStringArray 439
- XmStringTableProposeTablist 441
- XmStringTableToXmString 443
- XmStringTableUnparse 445

XmStringTag 1299  
XmStringToXmStringTable 447  
XmStringUnparse 449  
XmStringWidth 452  
XmTab 1299  
XmTAB\_GROUP 805, 861  
XmTAB\_ORIENTATION\_DYNAMIC 1016  
XmTabCreate 453  
XmTabFree 456  
XmTabGetValues 457  
XmTabList 1300  
XmTabListCopy 459  
XmTabListFree 460  
XmTabListGetTab 461  
XmTabListInsertTabs 462  
XmTabListRemoveTabs 463  
XmTabListReplacePositions 464  
XmTabListTabCount 466  
XmTABS\_BEVELED 1017  
XmTABS\_BOTTOM\_TO\_TOP 1017  
XmTABS\_LEFT\_TO\_RIGHT 1016  
XmTABS\_ON\_BOTTOM 1017  
XmTABS\_ON\_LEFT 1017  
XmTABS\_ON\_RIGHT 1017  
XmTABS\_ON\_TOP 1017  
XmTABS\_RIGHT\_TO\_LEFT 1016  
XmTABS\_ROUNDED 1017  
XmTABS\_SQUARED 1017  
XmTABS\_TOP\_TO\_BOTTOM 1017  
XmTabSetValue 467  
XmTabStack 1014  
XmTabStackGetSelectedTab 468  
XmTabStackGetSlectedTab() 1014  
XmTabStackIndexToWidget 469  
XmTabStackIndexToWidget() 1014  
XmTabStackSelectedTab 470  
XmTabStackSelectTab() 1014  
xmTabStackWidgetClass 1014  
XmTabStackXYToWidget 471  
XmTabStackXYToWidget() 1014  
XmTargetsAreCompatible 472  
XmTEAR\_OFF\_DISABLED 944  
XmTEAR\_OFF\_ENABLED 944  
XmTemplateDialog 1020  
XmTERMINATE 907  
XmText 1021  
XmTextBlock 1028  
XmTextBlockRec 1300  
XmTextBlockRecWcs 1300  
XmTextBlockWcs 1029  
XmTextClearSelection 474  
XmTextCopy 476  
XmTextCopyLink 478  
XmTextCut 480  
XmTextDirection 1300  
XmTextDisableRedisplay 483  
XmTextEnableRedisplay 484  
XmTextField 1040  
XmTextFieldClearSelection 474  
XmTextFieldCopy 476  
XmTextFieldCopyLink 478  
XmTextFieldCut 480  
XmTextFieldGetBaseline 489  
XmTextFieldGetCursorPosition 491  
XmTextFieldGetEditable 492  
XmTextFieldGetInsertionPosition 493  
XmTextFieldGetLastPosition 494  
XmTextFieldGetMaxLength 495  
XmTextFieldGetSelection 496  
XmTextFieldGetSelectionPosition 497  
XmTextFieldGetSelectionWcs 499  
XmTextFieldGetString 501  
XmTextFieldGetStringWcs 503  
XmTextFieldGetSubstring 505  
XmTextFieldGetSubstringWcs 507  
XmTextFieldInsert 510  
XmTextFieldInsertWcs 512  
XmTextFieldPaste 514  
XmTextFieldPasteLink 516  
XmTextFieldPosToXY 518  
XmTextFieldRemove 519  
XmTextFieldReplace 520  
XmTextFieldReplaceWcs 523  
XmTextFieldSetAddMode 526  
XmTextFieldSetCursorPosition 527  
XmTextFieldSetEditable 528  
XmTextFieldSetHighlight 529  
XmTextFieldSetInsertionPosition 532  
XmTextFieldSetMaxLength 534  
XmTextFieldSetSelection 535  
XmTextFieldSetString 538  
XmTextFieldSetStringWcs 540

- XmTextFieldShowPosition 543
- xmTextFieldWidgetClass 1040
- XmTextFieldXYToPos 545
- XmTextFindString 485
- XmTextFindStringWcs 487
- XmTextGetBaseline 489
- XmTextGetCenterline 490
- XmTextGetCursorPosition 491
- XmTextGetEditable 492
- XmTextGetInsertionPosition 493
- XmTextGetLastPosition 494
- XmTextGetMaxLength 495
- XmTextGetSelection 496
- XmTextGetSelectionPosition 497
- XmTextGetSelectionWcs 499
- XmTextGetSource 500
- XmTextGetString 501
- XmTextGetStringWcs 503
- XmTextGetSubstring 505
- XmTextGetSubstringWcs 507
- XmTextGetTopCharacter 509
- XmTextInsert 510
- XmTextInsertWcs 512
- XmTextPaste 514
- XmTextPasteLink 516
- XmTextPosition 1300
- XmTextPosToXY 518
- XmTextRemove 519
- XmTextReplace 520
- XmTextReplaceWcs 523
- XmTextScroll 525
- XmTextSetAddMode 526
- XmTextSetCursorPosition 527
- XmTextSetEditable 528
- XmTextSetHighlight 529
- XmTextSetInsertionPosition 532
- XmTextSetMaxLength 534
- XmTextSetSelection 535
- XmTextSetSource 537
- XmTextSetString 538
- XmTextSetStringWcs 540
- XmTextSetTopCharacter 542
- XmTextShowPosition 543
- XmTextSource 1300
- XmTextType 1301
- XmTextVerifyCallbackStruct 1028, 1301
- XmTextVerifyCallbackStructWcs 1028, 1302
- xmTextWidgetClass 1021
- XmTextXYToPos 545
- XmTHERMOMETER 957, 970
- XmTHUMB\_MARK 956, 970
- XmTITLE 946
- XmTOGGLE\_BOOLEAN 1049
- XmTOGGLE\_INDETERMINATE 1049
- XmToggleButton 1045
- XmToggleButtonCallbackStruct 1050, 1302
- XmToggleButtonGadget 1055
- xmToggleButtonGadgetClass 941, 1055
- XmToggleButtonGadgetGetState 546, 1055
- XmToggleButtonGadgetSetState 548, 1055
- XmToggleButtonGadgetSetValue 550, 1055
- XmToggleButtonGetState 546, 1045
- XmToggleButtonSetState 548, 1045
- XmToggleButtonSetValue 550, 1045
- XmToggleButtonState 1302
- xmToggleButtonWidgetClass 1045
- XmTOP\_LEFT 889, 981
- XmTOP\_RIGHT 889, 981
- XmTOP\_TO\_BOTTOM 96, 646, 861, 871
- XmTOP\_TO\_BOTTOM\_LEFT\_TO\_RIGHT 96, 646, 861, 871
- XmTOP\_TO\_BOTTOM\_RIGHT\_TO\_LEFT 96, 646, 861, 871
- XmTopLevelEnterCallback 746
- XmTopLevelEnterCallbackStruct 746, 1303
- XmTopLevelLeaveCallback 746
- XmTopLevelLeaveCallbackStruct 746, 1303
- XmTOUCH\_ONLY 713
- XmTOUCH\_OVER 713
- XmTrackingEvent 552
- XmTrackingLocate 554
- XmTRANSFER\_FAILURE 774
- XmTRANSFER\_SUCCESS 774
- XmTransferDone 565
- XmTransferSendRequest 569
- XmTransferSetParameters 570
- XmTransferStartRequest 572
- XmTransferStatus 1304
- XmTransferValue 573
- XmTranslateKey 575
- XmTraversalDirection 1304
- XmTraverseObscureCallbackStruct 1304

- XmTraverseObscuredCallbackStruct 982
- XmTree 1058
- xmTreeWidgetClass 1058
- XmTROUGH\_COLOR 957, 970
- XmUninstallImage 577
- XmUNMAP 645
- XmUNSET 1049
- XmUNSPECIFIED\_PAGE\_NUMBER 893
- XmUpdateDisplay 578
- XmVaCreateSimpleCheckBox 579, 682, 938
- XmVaCreateSimpleMenuBar 581, 867, 938
- XmVaCreateSimpleOptionMenu 584, 895, 938
- XmVaCreateSimplePopupMenu 587, 910, 938
- XmVaCreateSimplePulldownMenu 590, 919, 938
- XmVaCreateSimpleRadioBox 594, 933, 938
- XmVARIABLE 841, 982
- XmVERT\_SCROLLBAR 982
- XmVERTICAL 891, 901, 943, 955, 969, 995
- XmVisibility 1305
- XmVisibility structure 182
- XmWarningDialog 1062
- XmWIDECHAR\_TEXT 908
- XmWidgetGetBaselines 596
- XmWidgetGetDisplayRect 597
- Xmwidth 882
- XmWORK\_AREA 944, 982
- XmWorkingDialog 1063
- XmZERO\_BASED 696
- XPFinishProc structure 301
- XpStartJob 301
- XRectangle 1277
- XrmValue 1305
- XrmValuePtr 1305
- Xt translation table type 1210
- XtAccelerators 1305
- XtAppCreateShell 609, 626, 734
- XtAppInitialize 610, 734
- XtCallbackList 1305
- XtCallbackProc 1306
- XtCheckpointToken 630
- XtCheckpointTokenRec 630
- XtConvertSelectionIncrProc 1306
- XtCreatePopupChildProc 635, 1306
- XTextProperty
  - convert to Compound String Table 82
- XTextProperty structure 83
- XtIsApplicationShell 609
- XtIsComposite 613, 684
- XtIsConstraint 615
- XtIsOverrideShell 622
- XtIsSessionShell 626
- XtIsTopLevelShell 637
- XtIsTransientShell 640
- XtIsWidget 617
- XtIsWMShell 651
- XtKeyProc 1306
- XtNcancelCallback 627
- XtNcloneCommand 627
- XtNconnection 627
- XtNcurrentDirectory 627
- XtNdieCallback 627
- XtNdiscardCommand 627
- XtNenvironment 627
- XtNerrorCallback 627
- XtNinteractCallback 627
- XtNjoinSession 627
- XtNprogramPath 627
- XtNresignCommand 627
- XtNrestartCommand 627
- XtNrestartStyle 627
- XtNsaveCallback 627
- XtNsaveCompleteCallback 627
- XtNsessionID 627
- XtNshutdownCommand 627
- XtOrderProc 614, 1307
- XtPointer 1307
- XtSelectionCallbackProc 1307
- XtTranslations 1307
- XtVaAppCreateShell 609, 626
- XtVaAppInitialize 609